



C9530-404^{Q&As}

IBM Integration Bus V9.0 Solution Development

Pass IBM C9530-404 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c9530-404.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A solution developer needs to configure the HTTP listener of an Integration Server on a Linux Server.

Which operating system privilege(s) does the developer need to modify Integration node properties and properties of integration node resources?

- A. mqm
- B. mqm and mqbrks
- C. mqbrks
- D. root user

Correct Answer: D

QUESTION 2

A solution developer is analyzing the of a message flow. There are a number of references defined in the ESQL code of the Compute node.

Why should the developer use dynamic references in the ESQL code of the message flow?

- A. It is a technique to reduce tree copying in a message flow.
- B. It is a technique to reduce tree navigation when accessing repeating elements in a message tree.
- C. References allow the usage of optimized code from dynamically loaded external libraries.
- D. By creating a reference, intermediary results can be cached and so memory usage is reduced.

Correct Answer: B

QUESTION 3

A solution developer wants to use the global cache functionality to share data between two Integration nodes which are running on separate host machines.

What must the developer configure to accomplish the requirements?

- A. A global cache policy file on both Integration nodes.
- B. A configurable service to connect to an external WebSphere eXtreme Scale grid for example on a DataPower ?XC10 device.
- C. The default global cachetopology on both Integration nodes.
- D. The default global cache topology on both Integration nodes and an MQ cluster between the two queue managers.



Correct Answer: A

QUESTION 4

A solution developer wants to use constant variables in the message flows. The solution developer decides to use a user-defined property in the ESQL code because the values can change at deployment time.

Which ESQL statement should the developer use to access a user-defined property in the ESQL?

- A. DECLARE variable CHARACTER \\' ?nitialValueExpression-\\'
- B. DECLARE variable SHARED CHARACTER \\' ?nitialValueExpression-\\'
- C. DECLARE variable EXTERNAL CHARACTER \\' ?nitialValueExpression-\\'
- D. DECLARE variable CONSTANT CHARACTER \\' ?nitialValueExpression-\\'

Correct Answer: C

QUESTION 5

A solution developer is implementing a message flow that transforms XML payment messages. Each payment message includes many individual payment transaction records. Each transaction record has a summary section and a details section. For the mapping, only fields from the summary section are required.

What should the developer do to tune the performance of the message flow?

- A. Configure opaque elements in the parser options of the MQInput node.
- B. Configure the MQInput node to use the BLOB domain and then use string functions to implement to the mapping.
- C. Use XPATH instead of ESQL to map the required elements of the message.
- D. Select the option to "Build tree with XML schema data types" in the parser options of the MQInput node.

Correct Answer: B

[Latest C9530-404 Dumps](#)

[C9530-404 VCE Dumps](#)

[C9530-404 Exam Questions](#)