



# C9530-404<sup>Q&As</sup>

IBM Integration Bus V9.0 Solution Development

**Pass IBM C9530-404 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c9530-404.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

A solution developer has to support three environments: development, test and production. Therefore, the solution developer has to customize an application to reflect changes such as input queue names, IP addresses, database names and number of additional instances. What should the developer use to change the properties for each environment?

- A. a runtime command
- B. a configurable service
- C. a .propertiesfile in the application
- D. the IBM Integration Bus web user interface

Correct Answer: D

---

### QUESTION 2

A solution developer wants to monitor how much Java processing memory is currently allocated to an integration server. A flow is currently deployed.

Assuming resource statistics collection has been started, which step will allow the developer to obtain these statistics?

- A. Expand Integration Nodes folder in IBM Integration Explorer Choose Window menu: Show view: Resource statistics Click JVM tab, and view CommittedMemoryInMB measurement
- B. Expand Integration Nodes folder in IBM Integration Explorer Choose Window menu: Show view: Resource statistics Click JVM tab, and view UsedMemoryinMB measurement
- C. Expand Integration Nodes in IBM Integration Toolkit Choose Window menu: Show view: Resource statistics Click JVM tab, and view UsedMemoryinMB measurement
- D. Expand Integration Nodes in IBM Integration Toolkit Choose Window menu: Show view: Resource statistics Click JVM tab, and view CumulativeGCTimeInSeconds measurement

Correct Answer: B

---

### QUESTION 3

A solution developer is analyzing the of a message flow. There are a number of references defined in the ESQL code of the Compute node.

Why should the developer use dynamic references in the ESQL code of the message flow?

- A. It is a technique to reduce tree copying in a message flow.
- B. It is a technique to reduce tree navigation when accessing repeating elements in a message tree.
- C. References allow the usage of optimized code from dynamically loaded external libraries.



D. By creating a reference, intermediary results can be cached and so memory usage is reduced.

Correct Answer: B

#### QUESTION 4

**Resequence Node Properties - Resequence**

**Description**

**Basic**

Path to sequence number\*

Path to sequence group identifier

Missing message timeout

**Start of sequence definition**

☒ Literal

☐ Predicate

☐ Automatic

**End of sequence definition**

☐ Literal

☐ Predicate

☒ Automatic

The following messages are sent to the MQ Input node, as described below:

- 0 A
- 1 B
- 2 C
- 4 E
- 6 G
- a delay of 11 seconds
- 5 F
- a delay of another 11 seconds
- 3 D

What is the end result of processing this messages, using the "Value" element arriving in the specific order listed?

- A. A, B, Con MQ Output;F,Don MQ Output Failure; andE,Gon MQ Output Expire.
- B. A, B, Con MQ Output;F,Don MQ Output Missing; andE,Gon MQ Output Expire.



---

C. A, B, Con MQ Output;D, Fon MQ Output Failure; andE,Gon MQ Output Expire.

D. A, B, Con MQ Output;D, Fon MQ Output Failure; andE,Gon MQ Output Failure.

Correct Answer: D

---

#### QUESTION 5

A solution developer is building a solution that integrates with a COBOL application. The COBOL copybook that defines the record layout is available to the solution developer.

What should the developer do to make use of the latest IBM Integration Bus V9.0 features and create a new message model in the least number of steps?

A. Use the `mqsc createmsqdefscmd` command to import the COBOL copybook.

B. Use the DFDL schema editor to define the message model manually using the COBOL copybook as a guide.

C. Use a wizard to select the COBOL message type, choose the "Create a DFDL schema file by importing a COBOL copybook or program", and then select your copybook to import.

D. Use a wizard to select the COBOL message type, choose the "Create a MRM message definition by importing a COBOL copybook or program", and then select your copybook to import.

Correct Answer: C

[Latest C9530-404 Dumps](#)

[C9530-404 PDF Dumps](#)

[C9530-404 Study Guide](#)