



C9530-410^{Q&As}

IBM MQ V8.0 System Administration

Pass IBM C9530-410 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c9530-410.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A system administrator is using the MQ-supplied Dead Letter Queue Handler program. The system administrator needs to ensure that the dead-letter queue does not fill up and the messages that cannot be requeued to their original destination are moved to a queue named `\\SYS4.DEAD.QUEUE.MANUAL\\`, with the dead-letter header included in the message. Which rule in the dead-letter queue rules table input should the system administrator use?

- A. ACTION FWD FWDQ SYS4.DEAD.QUEUE.MANUAL HEADERYES
- B. ACTION REQ REQQ SYS4.DEAD.QUEUE.MANUAL HEADERYES
- C. ACTION PUT PUTQ SYS4.DEAD.QUEUE.MANUAL INCLHDRYES
- D. ACTION MOV DESTQ SYS4.DEAD.QUEUE.MANUAL INCLUDEHDR

Correct Answer: A

QUESTION 2

A system administrator is determining the route that a message takes through a large network of queue managers. Trace route messaging has been enabled on the queue managers. Messages are being generated and delivered to the local queues on each queue manager in the network. What can the system administrator do to make the collection of trace-route reply messages more efficient?

- A. Configure queue manager for activity tracing.
- B. Enable MQ statistics for messages to be placed onto `SYSTEM.ADMIN.STATISTICS.QUEUE`.
- C. Set up a single node and rede name the local `SYSTEM.ADMIN.TRACE.ROUTE.QUEUE` as a remote queue definition.
- D. Set the `ReplyToQ` and `ReplyToQMGr` parameters in the MQMD to specify the trace-route reply message destination.

Correct Answer: C

QUESTION 3

A financial company is having a problem with IBM MQ on their development system. The queue manager is not down, but the new application keeps failing and MQ generates FDCs. This problem is significantly affecting the business as they could miss the project deadlines. The system administrator needs to open a Service Request SR to report the problem to IBM. What should be the severity of the SR raised by the system administrator?

- A. 1
- B. 2
- C. 3
- D. 4

Correct Answer: B



QUESTION 4

A user reports that the message was put to queue QUEUEI, but an application receives MQRC NO MSG AVAILABLE when it tries to get the message. Which command can the system administrator use to check both the current depth of QUEUEI and whether there are uncommitted messages?

- A. DISPLAY QUEUE QUEUEI ALL
- B. DISPLAY THREAD * TYPE INDOUBT
- C. DISPLAY QSTATUS QUEUEI TYPE QUEUE ALL
- D. DISPLAY QSTATUS QUEUEI TYPE HANDLE ALL

Correct Answer: B

QUESTION 5

A system administrator would like to capture accounting and statistics data to analyze performance of channels across multiple platforms.

Where can the system administrator capture the data?

- A. In the System Management Facility SMF.
- B. On SYSTEM.ADMIN.PERFM.EVENT queue.
- C. On SYSTEM.ADMIN.ACCOUNTING.QUEUE and SYSTEM.ADMIN.STATISTICS.QUEUE.
- D. On SYSTEM.ADMIN.ACCOUNTING.QUEUE and SYSTEM.ADMIN.STATISTICS.QUEUE for distributed platforms and in System Management Facility SMF for the z/OS platform.

Correct Answer: C

[C9530-410 Study Guide](#)

[C9530-410 Exam Questions](#)

[C9530-410 Braindumps](#)