



C9530-410^{Q&As}

IBM MQ V8.0 System Administration

Pass IBM C9530-410 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c9530-410.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A new local queue named ACCOUNTQ has been created on queue manager QMA to be used by a client application. The application user is '\appusr\' who will be required to browse and destructively read messages, and to query queue attributes. The MQ server runs on an AIX host. Which command does a system administrator need to run?

- A. `setmqaut -m QMA -t queue -n ACCOUNTQ -p appusr +get +browse +inq`
- B. `setmqaut -m QMA -t queue -n ACCOUNTQ -p appusr +inq +browse +set`
- C. `setmqaut -m QMA -t queue -n ACCOUNTQ -p appusr +browse +get +setid`
- D. `setmqaut -m QMA -t queue -n ACCOUNTQ -p appusr +connect +get +browse +set`

Correct Answer: B

QUESTION 2

A system administrator needs to tune a SVRCONN channel for performance. Currently, the channel sharedconversation attribute, SHARECNV, has the default value. To ensure performance enhancement, including the V8.0 distributed server performance improvement, what value does the system administrator need to set the SHARECNV attribute to?

- A. 0
- B. 1
- C. 20
- D. 9999999999

Correct Answer: C

QUESTION 3

A system administrator needs to collect monitoring data on an AIX system for performance analysis purposes. The system administrator needs to find out how many messages are put on and retrieved from a queue, and the total number of bytes that the queue processes during a configured interval. How can the system administrator enable the collection of the required data and set the interval to 15 minutes?

- A. Set the ACCTMQION and the STATINT900 for the queue manager.
- B. Set the queue MONQON attribute and set the interval in the queue attribute AMONQINT15.
- C. Set the STATMQION on the queue manager and the queue, and set the interval in the queue manager attribute STATINT15.
- D. Set the queue manager and the queue STATQON attributes, and the interval in the queue manager attribute STATINT900.

Correct Answer: A



QUESTION 4

A system administrator would like to capture accounting and statistics data to analyze performance of channels across multiple platforms.

Where can the system administrator capture the data?

- A. In the System Management Facility SMF.
- B. On SYSTEM.ADMIN.PERFM.EVENT queue.
- C. On SYSTEM.ADMIN.ACCOUNTING.QUEUE and SYSTEM.ADMIN.STATISTICS.QUEUE.
- D. On SYSTEM.ADMIN.ACCOUNTING.QUEUE and SYSTEM.ADMIN.STATISTICS.QUEUE for distributed platforms and in System Management Facility SMF for the z/OS platform.

Correct Answer: C

QUESTION 5

A system administrator has migrated a z/OS queue manager from a previous version to V8.0.0. Which action does the system administrator need to take to implement the larger 8-byte Relative Byte Address RBA for the active logs?

- A. Delete and re-declare the active logs.
- B. Run CSQJUFMT to format the active logs to use the larger RBA.
- C. Start the queue manager. The RBA size is automatically updated at migration time.
- D. Enable the new function mode `runCQSJUCNV` to convert the Bootstrap Data Set BSDS.

Correct Answer: C

[C9530-410 PDF Dumps](#)

[C9530-410 Study Guide](#)

[C9530-410 Braindumps](#)