



C9530-410^{Q&As}

IBM MQ V8.0 System Administration

Pass IBM C9530-410 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c9530-410.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

The security exit code for a RECEIVER channel has been modified. What does the system administrator have to do to activate the changed security exit with minimum impact to the running systems?

- A. Stop and restart the queue manager.
- B. Stop and restart the channel from the SENDER side.
- C. Issue command REFRESH SECURITY TYPE EXIT.
- D. Issue command ALTER CHANNEL SCYEXIT SCYDATA \\REFRESH\\

Correct Answer: D

QUESTION 2

A new local queue named ACCOUNTQ has been created on queue manager QMA to be used by a client application. The application user is \\appusr\\ who will be required to browse and destructively read messages, and to query queue attributes. The MQ server runs on an AIX host. Which command does a system administrator need to run?

- A. setmqaut -m QMA -t queue -n ACCOUNTQ -p appusr +get +browse +inq
- B. setmqaut -m QMA -t queue -n ACCOUNTQ -p appusr +inq +browse +set
- C. setmqaut -m QMA -t queue -n ACCOUNTQ -p appusr +browse +get +setid
- D. setmqaut -m QMA -t queue -n ACCOUNTQ -p appusr +connect +get +browse +set

Correct Answer: B

QUESTION 3

A system administrator was asked by an application team to find out when their queue manager running on IBM i System was started.

Which Command Language CL command should the system administrator run?

- A. DSPMQM
- B. DSPMQMQ
- C. DSPMQMSTS
- D. DSPMQMCSVR

Correct Answer: C



QUESTION 4

A JMS 2.0 application running on z/OS specifies a delivery delay of 20 seconds when sending messages. What must the system administrator do to support the delivery delay?

- A. Set TCP Delivery Delay for the listener to 20.
- B. Ensure SYSTEM.DDELAY.LOCAL.QUEUE exists as a local queue.
- C. ConfigureSetDeliveryDelay20000fortheconnectionfactory.
- D. ConfigureSetDeliveryDelay20000forSYSTEM.DDELAY.LOCAL.QUEUE.

Correct Answer: C

QUESTION 5

IBM MQ V7.0.I.3 is running on a server.

A system administrator receives request to install IBM MQ V8.0 as a second installation on a server where IBM MQ V7.0.I.3 is running. Both the product versions need to co-exist. What should the system administrator do first to ensure both versions will run without impacting each other?

- A. Upgrade IBM MQ V7.0.I.3 to 7.0.I.6.
- B. Define a separate installation name.
- C. Define a new data directory for IBM MQ V8.0.
- D. Set up environment variables to have both product versions installed in the same path.

Correct Answer: D

[Latest C9530-410 Dumps](#)

[C9530-410 VCE Dumps](#)

[C9530-410 Braindumps](#)