



C9560-503^{Q&As}

IBM Tivoli Monitoring V6.3 Fundamentals

Pass IBM C9560-503 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/c9560-503.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which component of IBM Tivoli Monitoring is responsible for writing the detailed metric data into the Tivoli Data Warehouse?

- A. Warehouse Proxy agent
- B. Tivoli Enterprise Portal Server
- C. Tivoli Enterprise Monitoring Server
- D. Summarization and Pruning agent

Correct Answer: A

QUESTION 2

From the Situation Editor, how is the Display Item specified in a situation?

- A. Go to the Action tab click the Advanced button, and select the Attribute Item to be the Display Item
- B. Go to the Action tab, click the Attribute Substitution button, and select the Attribute Item to be the Display Item
- C. Go to the Formula tab, click the Display Item button, and select the Attribute Item from the drop- down list to be the Display Item
- D. Go to the Formula tab, click the Advanced button, click the Display Item tab, and select the item from the drop-down list to be the Display Item

Correct Answer: D

QUESTION 3

A server with multiple NICs is in an environment with firewalls. Only one NIC has connectivity to the Tivoli Enterprise Monitoring Server (TEMS). One of the agents on the server is not communicating with the TEMS. What should be checked?

- A. The configuration file for the failing agent should have KDEB_NIC= followed by the IP addresses of the NIC cards that should not be used.
- B. The configuration file for the failing agent should have KDEB_INTEREACELIST=! followed by the IP address of the NIC card that should be used.
- C. The configuration file for the failing agent should have KDEB_INTERFACELIST=! followed by the IP addresses of the NIC cards that should not be used.
- D. Issue a telnet command to the TEMS host using port 1918 if IP.PIPE is being used or port 3660 if IP.SPIPE is being used. If it does not succeed then open the port in the firewall.

Correct Answer: B



QUESTION 4

Which statement is true when selecting a Navigator item, right-clicking to select Take Action, and clicking the Run button?

- A. Command output is displayed in a pop-up box.
- B. Command output is written to the message log.
- C. Command output is written to the universal message log.
- D. A return code is displayed as to whether or not the command executed.

Correct Answer: D

QUESTION 5

What is range partitioning?

- A. An historical data collection feature that allows data to be filtered.
- B. A feature used by the Agentless technology that allows better control of agent deployment.
- C. A database data organization feature that can reduce feedback time for Summarization and Pruning agent performance.
- D. A database data organization feature that can significantly improve pruning and query performance in large Tivoli Data Warehouse databases.

Correct Answer: D

[Latest C9560-503 Dumps](#)

[C9560-503 PDF Dumps](#)

[C9560-503 Brindumps](#)