



# C\_BOBIP\_41<sup>Q&As</sup>

SAP Certified Application Associate - SAP BusinessObjects Business Intelligence Platform 4.1

**Pass SAP C\_BOBIP\_41 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.geekcert.com/c\\_bobip\\_41.html](https://www.geekcert.com/c_bobip_41.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which of the following rights are granted on the predefined access level "Schedule"? Note: There are 3 correct answers to this question.

- A. Delete instances that the user owns.
- B. View document instances.
- C. Refresh the report's data.
- D. Modify the rights users have to objects.
- E. Copy objects to another folder.

Correct Answer: ABE

---

### QUESTION 2

Your report has more records than the value set for "Database Records Read When Previewing or Refreshing" on the Crystal Reports Processing Server.

What happens when you refresh the report from the BI launch pad?

- A. The report returns partial results without a warning message.
- B. A user is prompted to edit the report.
- C. The report returns partial results with a warning message.
- D. An error message is displayed.

Correct Answer: D

---

### QUESTION 3

How do you track the performance of business intelligence platform services in realtime?

- A. Schedule probes to run at specified intervals.
- B. Include servers in your replication lists.
- C. Set up profiles in the Monitoring tool.
- D. Query the Auditing Data Store for metrics.

Correct Answer: A

---

### QUESTION 4



Three user groups have one custom access level defined for a specific folder. The security requirements have been changed. Now, each of these three groups requires different rights to access the folder.

How can you achieve this?

- A. Use different predefined access levels for each group and apply them to the folder.
- B. Use a predefined access level for each group and apply it to the folder.
- C. Make two copies of the existing access level, modify them, and apply them to the folder.
- D. Modify the access level to allow each group to access the folder.

Correct Answer: C

---

#### QUESTION 5

How does the system behave if you have an Idle Connection Timeout setting on the Crystal Reports Cache Server that differs from the setting on the Crystal Reports Processing Server?

- A. If the setting on the Cache Server is higher than on the Processing Server, this will cause excessive consumption of disk space.
- B. If the setting on the Cache Server is lower than on the Processing Server, a user request could be closed prematurely.
- C. If the setting on the Cache Server is higher than on the Processing Server, this could cause a memory overflow error.
- D. If the setting on the Cache Server is lower than on the Processing Server, the data source connection could be closed prematurely.

Correct Answer: B

[Latest C BOBIP 41 Dumps](#)   [C BOBIP 41 PDF Dumps](#)   [C BOBIP 41 Practice Test](#)