



# C\_HANADEV\_17<sup>Q&As</sup>

SAP Certified Development Associate - SAP HANA 2.0 SPS05

**Pass SAP C\_HANADEV\_17 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.geekcert.com/c\\_hanadev\\_17.html](https://www.geekcert.com/c_hanadev_17.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

You implement a native SAP HANA application using SAP HANA extended application services, advanced mode (XS advanced) and SAPUI5.

Where is the UI rendering executed?

- A. On the XS advanced application server
- B. On the SAPUI5 HTML5 module
- C. On the front-end client device
- D. On the SAP Fiori front-end server

Correct Answer: B

---

### QUESTION 2

You must debug an existing SQLScript procedure in SAP HANA extended application services, advanced model (XS advanced).

What is the valid sequence to debug the procedure?

- A. 1 Select the SQLScript procedure in the project explorer, p. 2 Open the SQLScript console. 3 Set the breakpoint in the code of your SQL procedure. 4 Generate the call to the SQL procedure and execute it.
- B. 1 Select the SQLScript procedure in the database explorer, p. 2 Set the debugger privilege. 3 Set the external breakpoint in the code of your SQL procedure. 4 Run the ABAP program where the SQL procedure is called in debugging mode.
- C. 1 Select the ABAP program where the SQLScript procedure is called in the project explorer. p. 2 Set the external debugger privilege. 3 Set the external breakpoint in the code of your ABAP program. 4 Run the ABAP program in debugging mode.
- D. 1 Select the SQLScript procedure in the database explorer. / pv 2 Specify the SQLScript debugger settings in the SQL Debugger. 3 Set the breakpoint in the code of your stored procedure. 4 Generate the call to the SQL procedure and execute it.

Correct Answer: D

---

### QUESTION 3

You developed a multi-target application that contains only a database module. Which environment are the runtime objects created in? Please choose the correct answer.

- A. Java Runtime Environment (JRE)



- B. SAP HANA Runtime Tools (HRTT)
- C. SAP Web IDE for SAP HANA
- D. HANA Deployment Infrastructure Container

Correct Answer: D

---

#### QUESTION 4

Which content can you include in a Node.js module of the multi-target application? Note: There are 3 correct answers to this question.

- A. Data services in Java
- B. Node apps
- C. XSJS apps
- D. Java apps
- E. OData services in JavaScript

Correct Answer: BCE

---

#### QUESTION 5

Which parameters do you need for the APPLY\_FILTER function? Note: There are 2 correct answers to this question.

- A. Filter condition
- B. Dataset
- C. Join condition
- D. Entity set

Correct Answer: AB

[Latest C\\_HANADEV\\_17  
Dumps](#)

[C\\_HANADEV\\_17 Study  
Guide](#)

[C\\_HANADEV\\_17  
Braindumps](#)