C_HANAIMP_12^{Q&As}

SAP Certified Application Associate - SAP HANA (Edition 2016 - SPS12)

Pass SAP C_HANAIMP_12 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/c_hanaimp_12.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Prior to modeling in SAP HANA, you want to validate referential integrity between two very large tables in the SAP HANA database.

Which SAP HANA tool would you use?

A. Data preview

B. View contents

C. View log

D. SQL console

Correct Answer: D

QUESTION 2

Where can you reactivate a user after too many invalid logon attempts? (Choose two)

A. In the INVALID_CONNECT_ATTEMPS view

B. In the user-specific schema

C. In the user properties in the SAP HANA studio

D. In the SQL Console

Correct Answer: CD

QUESTION 3

Which of the following data provisioning tools can you use to read data directly from Twitter? There are 3

correct answers to this question.

Response:

A. SAP HANA XS engine

B. SDI

C. SDA

D. SRS

E. SAP Data Services

Correct Answer: ABE

QUESTION 4

When loading data to SAP HANA using SAP Data Services, where can job definitions be stored? Please choose the correct answer.

Response:

A. In an SAP HANA database

B. In an SAP HANA flowgraph

C. In the SAP HANA studio

D. In an SAP HANA XS application

Correct Answer: A

QUESTION 5

What performance technique should you implement to improve join performance? Please choose the

correct answer.

Response:

A. Use joins instead of unions for combining large data sets.

B. Join on key fields between tables in a dimension view.

C. Do NOT use dynamic joins if you require optimal performance.

D. Always use referential joins in star join views.

Correct Answer: B

[C_HANAIMP_12 VCE Dumps](#)   [C_HANAIMP_12 Study Guide](#)   [C_HANAIMP_12 Braindumps](#)