



C_HANAIMP_17^{Q&As}

SAP Certified Application Associate - SAP HANA 2.0 (SPS05)

**Pass SAP C_HANAIMP_17 Exam with 100%
Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/c_hanaimp_17.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official
Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You have imported a new calculation view in a folder that contains a .hdinamespace file. This calculation view consumes one data source which is a table. When trying to build the calculation view, there is a namespace-related issue and the build fails.

What could be the reason? Note: There are 2 correct answers.

- A. The imported calculation view and its data source have different namespaces.
- B. The name space used within the calculation view to reference the table is different from the actual namespace in the identifier of this table.
- C. The .hdinamespace file specifies a different name space property than the one in the identifier of the calculation view.
- D. The hdinamespace specifies "sub-folder": "append\\", so calculation views can only be created in sub-folders.

Correct Answer: AB

QUESTION 2

Why might you use the Keep Flag property in an aggregation node?

- A. To cache the results of the aggregation node for drill-down
- B. To ensure that the aggregation behavior defined in the aggregation node for a measure CANNOT be overridden by a query
- C. To include columns that are NOT requested by a query but are essential for the correct result
- D. To retain the correct aggregation behavior in stacked views.

Correct Answer: C

QUESTION 3

You want to join 2 tables in a calculation view. Why do you use a non-equijoin?

- A. The number of joined columns is different in both tables.
- B. Join columns do not have the same datatype.
- C. The join condition is not represented by matching values.
- D. The cardinality is impossible to determine.

Correct Answer: C



QUESTION 4


When would you develop an SQL procedure instead of a function?

- A. You need to implement Data Definition Language (DDL) statements.
- B. The code should modify data in the table.
- C. Optimal performance is a priority.
- D. You need to use conditional logic.
- E. You want to create a dynamic analytic privilege.

Correct Answer: B

QUESTION 5

Referring to the diagram, which privileges would a user require to view United States data when querying the CUBE Calculation view?



- A. Analytic Privileges and SELECT privileges on the CUBE Calculation view
- B. A SELECT privilege and an Analytic Privilege (Country = United States) on the DIMENSION Calculation view
- C. A SELECT privilege on the CUBE and an Analytic Privilege (Country = United States) on the DIMENSION Calculation view
- D. SELECT or Privileges and Analytic Privileges on both views

Correct Answer: C



[C_HANAIMP_17 Practice Test](#)

[C_HANAIMP_17 Study Guide](#)

[C_HANAIMP_17 Exam Questions](#)