



# C\_TADM54\_75<sup>Q&As</sup>

SAP Certified Technology Associate - System Administration (SAP ASE) with SAP NetWeaver 7.5

**Pass SAP C\_TADM54\_75 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.geekcert.com/c\\_tadm54\\_75.html](https://www.geekcert.com/c_tadm54_75.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

What are benefits of using property variants in Computing Center Management System (CCMS)- based system monitoring?

There are 2 correct answers to this question.

- A. You can transport monitor definitions between AS ABAP-based SAP systems.
- B. You can transport threshold settings between AS ABAP-based SAP systems.
- C. You can create customer-defined monitor definitions in AS ABAP-based SAP systems.
- D. Depending on the operation mode of the AS ABAP-based SAP system, you can switch sets of threshold values.

Correct Answer: BD

---

### QUESTION 2

You have opened a CCMS monitor in transaction RZ20 (CCMS Monitor Sets). What can you conclude by analyzing the attached screenshot? (Choose correct answer)

- A. Instances 00 and 01 of SAP system DEV on host twdf1921 are not running.
- B. Instances 00 and 01 of SAP system DEV on host twdf1921 are running, but cannot be reached by CCMS
- C. All nodes below the MTE "twdf1921\_DEV\_00" have the status "red".
- D. At least one node below the MTE "twdf1921\_DEV\_00" has the status "red".

Correct Answer: D

---

### QUESTION 3

Which of the following statements regarding the Transport Management System (TMS) are true? There are 3 correct answers to this question.

- A. For TMS to work, the user ID "TMSADM" is automatically set up on the Transport Domain Controller in client 000.
- B. For TMS to work, the user ID "TMSADM" must be created manually in transaction SU01 (User Maintenance), in client 000 of each SAP System belonging to the same transport domain.
- C. TMS automatically creates RFC destinations for each SAP System, which can be displayed using transaction SM59 (Display/Maintain RFC Destinations).
- D. For each client in each SAP System, TMS creates RFC destinations which can be displayed using transaction SM59 (Display/Maintain RFC Destinations).
- E. During the configuration of the transport domain controller, transport domain control data is written to the file DOMAIN.CFG in the transport directory (subdirectory "bin").



---

Correct Answer: ACE

---

#### QUESTION 4

You want to patch the kernel of an AS ABAP+Java-based (dual stack) SAP system. Into which of the following do you put the new kernel executables? Please choose the correct answer.

- A. The ABAP kernel directory
- B. The Work directory
- C. The "KERNEL\_NEW" directory
- D. The transport directory, subdirectory "Data"

Correct Answer: A

---

#### QUESTION 5

Which AS ABAP release for software component "SAP BASIS" is used for SAP ECC 6.05?

- A. 7.20
- B. 7.02
- C. 7.01
- D. 7.10

Correct Answer: B

[Latest C\\_TADM54\\_75 Dumps](#)

[C\\_TADM54\\_75 Practice Test](#)

[C\\_TADM54\\_75 Braindumps](#)