



# C\_TADM55\_75<sup>Q&As</sup>

SAP Certified Technology Associate - System Administration (SAP HANA) with SAP NetWeaver 7.5

## Pass SAP C\_TADM55\_75 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.geekcert.com/c\\_tadm55\\_75.html](https://www.geekcert.com/c_tadm55_75.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

BAPIs are created and tested in exactly the same way as other function modules, using the Function Builder and are then defined as BAPIs in the BOR using which transaction?

- A. Transaction SE13
- B. Transaction SE33
- C. Transaction SE37
- D. Transaction SE10

Correct Answer: C

---

### QUESTION 2

Which of the following is true when creating new clients within an SAP System based on AS ABAP (for example, SAP ECC)?

- A. Customizing and repository objects from a source client are automatically copied to the new client using the client copy tool.
- B. Remote client copies generate large data files at the operating system level.
- C. Log files indicating the success of a new client creation are stored in the home directory of the user initiating the copy.
- D. The client transport tool can be used to transfer the same source client, simultaneously, from one SAP System to multiple other SAP systems in a single action.
- E. The client copy can be accelerated by using several dialog work processes in parallel.

Correct Answer: E

---

### QUESTION 3

Assume that you want to transport non-ABAP objects with the help of the ABAP Change and Transport System. Which statements are correct? (More than one answers are true)

- A. You need to define transport routes between the non-ABAP systems in question.
- B. The Transport Domain Controller must be based on SAP NetWeaver AS 7.00 SP Stack 12 or higher.
- C. If you want to transport Portal Content with CTS, the portal runtime systems need to be based on AS 1 Java 7.00 SP Stack 12 or higher.
- D. You need to define non-ABAP Systems in Transaction STMS and you need to maintain the tp parameters for these systems correctly.
- E. The CTS deploy web service must be configured on every non-ABAP system that is defined in transaction STMS.



---

Correct Answer: ABD

---

#### QUESTION 4

Which settings are necessary for activating the integrated ITS?

- A. Set the profile parameter itsp/enable to 1.
- B. Set the profile parameter rdisp/optimize\_web\_app to 1.
- C. You need to deploy the necessary HTML templates on the operating system level.
- D. Configure the HTML cache of the SAP NetWeaver AS Java.

Correct Answer: A

---

#### QUESTION 5

Which of the following statements regarding starting and stopping an SAP system based on AS ABAP +Java 7.0 are correct? (Choose two)

- A. If you use the command: "stopsap J2EE DVEBMGS00" on operation system level, only the java part of the instance is stopped.
- B. The Java-dispatcher and the ABAP-dispatcher of one instance write their respective developer traces in different files on the same directory.
- C. The ABAP-dispatcher triggers the start of the Java part of the instance.
- D. The SAP MC is Java-based, therefore you can only start and stop the Java part of an instance.

Correct Answer: BC

[Latest C\\_TADM55\\_75 Dumps](#)

[C\\_TADM55\\_75 VCE Dumps](#) [C\\_TADM55\\_75 Braindumps](#)