



C_TADM70_21^{Q&As}

SAP Certified Technology Associate - OS/DB Migration for SAP
NetWeaver 7.52 Exam

Pass SAP C_TADM70_21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/c_tadm70_21.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official
Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which of the following R3LOAD task files create a primary key? Choose 2 correct ans

- A. _DPI.TSK
- B. _TPI.TSK
- C. _TDI.TSK
- D. _DT.TSK

Correct Answer: CD

QUESTION 2

Which of the following is not a Post-Migration Test Activities

Please choose the correct answer.

- A. Test typical transactions from day to day business
- B. Run reports to compare results to those in the source system
- C. Verify communication with internal system
- D. Set up a test environment

Correct Answer: C

QUESTION 3

Which of the following changes are homogeneous system copies?

Please choose the correct answer.

- A. Hardware architecture X to hardware architecture Y
- B. Operating system X to operating system
- C. Database from version n to version n+x
- D. Database from database X to database Y

Correct Answer: AC

QUESTION 4

Which of the following statement is TRUE regarding JMIGMON functions and operation variants?



Please choose the correct answer.

- A. JMIGMON is used to start JLOAD processes only
- B. JMIGMON cannot start JLOAD processes
- C. JPKGCTL will add as many tables to a package until the size limit is reached
- D. JMIGMON should not be inspected in case of export or import errors

Correct Answer: B

QUESTION 5

How does R3LOAD handle restart situations based on the task file content?

There are 2 correct answers to this question

- A. If a status is „err" for a create index task, R3LOAD will drop the index and recreate it to restart the import.
- B. If the status is „err" for a data import task, R3LOAD will drop the table to restart the import.
- C. If the status is „err" for a create primary key task, R3LOAD will delete data and recreate the primary key to restart the import.
- D. If the status is „err" for a create table task, R3LOAD will drop and recreate the table to restart the import.

Correct Answer: CD

[C_TADM70_21 PDF Dumps](#)

[C_TADM70_21 Exam
Questions](#)

[C_TADM70_21 Braindumps](#)