



C_TPLM30_67^{Q&As}

SAP Certified Application Associate - Enterprise Asset Management
(Maintenance & Repair) with SAP ERP 6.07

Pass SAP C_TPLM30_67 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/c_tplm30_67.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official
Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What are the 2 options available for archMng order? There are 2 correct answers to this question. Response:

- A. Manually enter historical orders
- B. Recognize orders.
- C. Order settlement
- D. Refurbishment
- E. Copy orders

Correct Answer: AB

QUESTION 2

Which of the following combinations must you use to create a single-cycle maintenance plan for an external service? Please choose the correct answer.

Response:

- A. A maintenance order for settlement and an outline agreement
- B. A framework order and a maintenance order for settlement
- C. A framework order and a subcontract purchase order
- D. A subcontract purchase order and an outline agreement

Correct Answer: B

QUESTION 3

To which objects can you assign a user status profile? (Choose three)

- A. An order type
- B. A task list type
- C. A maintenance plan category
- D. An equipment category
- E. A notification type

Correct Answer: ADE



QUESTION 4

You use the F4 key to... Choose the correct answer(s). Response:

- A. Start another session
- B. Obtain technical details for a program
- C. Call the SAP Library
- D. Show possible input values for an entry field
- E. Generate an output request for the current screen

Correct Answer: D

QUESTION 5

A maintenance technician replaces a defective counter with a new counter. Before the users can create a standard measuring document for the new counter, what step(s) must they perform?

- A. Create a new technical object to represent the new measuring point.
- B. Create a special measuring document and set the Counter Replacement indicator.
- C. Dismantle the old measuring point and create a new measuring point.
- D. Create a new measuring point and change the measuring point from which the measurement reading was transferred.

Correct Answer: B

[C_TPLM30_67 PDF Dumps](#) [C_TPLM30_67 Study Guide](#) [C_TPLM30_67 Braindumps](#)