

C_TS413_2021^{Q&As}

SAP Certified Application Associate - SAP S/4HANA Asset Management

Pass SAP C_TS413_2021 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/c_ts413_2021.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.geekcert.com/c_ts413_2021.html

2024 Latest geekcert C_TS413_2021 PDF and VCE dumps Download

QUESTION 1

The maintenance engineer creates a strategy plan with the call object maintenance order. Shift factors are set to 100%. Which date is relevant for the calculation of future planned dates if the maintenance work is delayed?

- A. Technical completion date of the maintenance order
- B. Date of the final time confirmation
- C. Planned enddate of the maintenance order
- D. Planned date of the next call, independent of maintenance orderdates

Correct Answer: A

QUESTION 2

Which steps are available for the maintenance technician when using the Report Malfunction tile? Note: There are 3 correct answers to this question.

- A. Select and print the maintenance order shop papers.
- B. Display the current location of the technical object.
- C. Add a URL to provide further information.
- D. View details of the technical object by navigating to the Asset Viewer.
- E. Input estimated costs for repair malfunction.

Correct Answer: BCD

QUESTION 3

Which scheduling parameters are used in a multiple-counter plan? Note: There are 2 correct answers to this question.

- A. Scheduling period
- B. Factory calendar
- C. Start date
- D. Scheduling indicator

Correct Answer: AC

QUESTION 4

What can be determined using the offset within a maintenancestrategy?



https://www.geekcert.com/c_ts413_2021.html

2024 Latest geekcert C_TS413_2021 PDF and VCE dumps Download

- A. The cycle duration
- B. The first due date of a maintenance package
- C. The start date of the maintenance order
- D. The call date for the maintenance order

Correct Answer: B

QUESTION 5

Which statements about the structure indicator are correct? Note: There are 2 correct answers to this question.

- A. It defines the allowed characters for a functional location.
- B. It can have a maximum length of 50 characters.
- C. It defines hierarchy levels of the functional location structure.
- D. It defines which data is transferred to the lower levels of the hierarchy.

Correct Answer: AC

Latest C TS413 2021 Dumps C TS413 2021 Study Guide

C TS413 2021 Braindumps