



CIS-DISCOVERY^{Q&As}

Certified Implementation Specialist-Discovery

Pass ServiceNow CIS-DISCOVERY Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/cis-discovery.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by ServiceNow Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

As a first step in horizontal discovery, which of the following is where the Shazzam probe is placed in a request?

- A. Target
- B. Pattern Log
- C. ECC queue
- D. Discovery Log

Correct Answer: C

Reference: https://docs.servicenow.com/bundle/rome-it-operations-management/page/product/discovery/concept/c_DiscoProcessFlows.html

QUESTION 2

For a pattern operation, which of the below choices could be a valid replacement for ? (Choose three.)
\$IfTable.InstanceID

- A. [3]
- B. [X]
- C. [and]
- D. [.]
- E. [*]
- F. []

Correct Answer: AEF

QUESTION 3

Which choice will populate the Location field for a discovered CI?

- A. Location field for a Discovery Schedule
- B. Location field for a parent CI Type
- C. Location field for a Port Probe
- D. Location report from the Discovery Dashboard

Correct Answer: A



QUESTION 4

Which of the following must be configured to allow a MID Server to access servers using WinRM? (Choose two.)

- A. JEA Properties set to True
- B. MID Servers must be configured as a trusted source with DNS
- C. MID Servers need to be added to the WinRM Group policy on the Servers
- D. MID Server Parameters Add WinRM

Correct Answer: BC

QUESTION 5

Based on this image, which of the following statements are true? (Choose three.)

Operation	Merge Table		
* First Table	\$name_details		
* Second Table	\$more_process_info		
* Target Table	\$cmdb_ci_web_server		
Merge Criteria	Condition		
Meet	Any	Following condition	
	\$process.executablePath	Contains	"mongoose"
Unmatched Values	Remove		

- A. Attributes from two tables populate a table with the same name as a ServiceNow CMDB table.
- B. This operation is more than likely a part of a step on a pattern set to Application Pattern Type.
- C. If a value is unmatched, it is still merged into the Target Table.



D. For this operation to run, there must be some data in the process.executablePath variable.

E. This is a horizontal pattern of type "infrastructure."

Correct Answer: ABD

[CIS-DISCOVERY PDF
Dumps](#)

[CIS-DISCOVERY VCE
Dumps](#)

[CIS-DISCOVERY Study
Guide](#)