



CWAP-403^{Q&As}

Certified Wireless Analysis Professional

Pass CWNP CWAP-403 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/cwap-403.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An RST frame should be acknowledged by which frame?

- A. Ack
- B. CTS
- C. Block Ack
- D. RTS-Ack

Correct Answer: A

QUESTION 2

What is the formula used to calculate the Duration field value in an RTS frame?

- A. RTS Duration field = CTS duration
- B. RTS Duration field = Data or management to be sent frame duration
- C. RTS Duration field = Data or management frame to be sent duration + CTS duration + one ACK duration + three SIFS
- D. RTS Duration field = Data or management frame to be sent duration + CTS duration

Correct Answer: C

QUESTION 3

Which common feature of a Spectrum Analyzer would be the best to help you locate a non-802.11 interference source?

- A. Max hold
- B. Location filter
- C. Waterfall plot
- D. Device finder

Correct Answer: D

QUESTION 4

How does a VoIP Phone, using WMM Power Save, request data frames buffered at the AP?

- A. The VoIP phone transmits a PS-Poll frame



- B. The VoIP phone transmits a trigger frame
- C. The VoIP phone sets the More Data bit in the MAC Header to 1
- D. The VoIP phone The VoIP transmits a WMM Action frame

Correct Answer: B

QUESTION 5

What is the difference between a Data frame and a QoS-Data frame?

- A. QoS Data frames include a QoS control field
- B. QoS Data frames include a QoS information element
- C. QoS Data frames include a DSCP control field
- D. QoS Data frames include an 802.1Q VLAN tag

Correct Answer: A

[Latest CWAP-403 Dumps](#)

[CWAP-403 PDF Dumps](#)

[CWAP-403 Exam Questions](#)