



CWAP-403^{Q&As}

Certified Wireless Analysis Professional

Pass CWNP CWAP-403 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/cwap-403.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

When would you expect to see a Reassociation Request frame?

- A. Every time a STA associates to an AP to which it has previously been associated
- B. Only when a STA is using FT roaming
- C. Only when a STA roams back to an AP it has previously been associated with
- D. Every time a STA roams

Correct Answer: D

QUESTION 2

You're the WLAN administrator for a large retailer based at the HQ in New York. The London-based office has been complaining about WLAN disconnections around lunch time each day. You suspect this might be interference from the staff microwave, how might you test your theory from the New York office?

- A. Access the microwave remotely and run a diagnostic check
- B. Ask a local member of staff to take some pictures of the microwave, including some close-ups of the door seal so that you can access it
- C. Place one of the London APs into spectrum analyzer mode and monitor the situation over lunch time
- D. Ask a local member of staff to change the frequency of the microwave and see if the disconnections stop

Correct Answer: A

QUESTION 3

Which one of the following is not a valid acknowledgment frame?

- A. RTS
- B. CTS
- C. Ack
- D. Block Ack

Correct Answer: C

QUESTION 4

What is the difference between a Data frame and a QoS-Data frame?



- A. QoS Data frames include a QoS control field
- B. QoS Data frames include a QoS information element
- C. QoS Data frames include a DSCP control field
- D. QoS Data frames include an 802.1Q VLAN tag

Correct Answer: A

QUESTION 5

Protocol analyzers may present field values in either binary, decimal or hexadecimal. What precedes a hexadecimal value to indicate it is hexadecimal?

- A. 0x
- B. %
- C. HEX
- D. 16x

Correct Answer: A

[CWAP-403 VCE Dumps](#)

[CWAP-403 Practice Test](#)

[CWAP-403 Exam Questions](#)