



CWDP-303^{Q&As}

Certified Wireless Design Professional

Pass CWNP CWDP-303 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/cwdp-303.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What are the deliverables to your customer after successfully implementing a WLAN infrastructure?

- A. Digital or physical assets, guides, floorplans and configuration documents
- B. Project Charter
- C. Facility blueprints
- D. Nothing is required. The implemented WLAN was deliverable

Correct Answer: A

QUESTION 2

When installing APs on high ceilings, what should be the most common PPE to be used?

- A. Hardhat, high visibility vest and body belt
- B. Glasses, gloves and jacket
- C. Clean suits, masks and glasses
- D. Clean suits, gloves and jacket

Correct Answer: A

QUESTION 3

You have performed a validation site survey after deploying a WLAN infrastructure that is an All-Wireless-Office. One specific application of your customer is experiencing delay when using the application after moving from wired connectivity. After your validation, you realized that all APs are using 80 MHz channel-widths instead of 20 MHz on the 5 GHz band, as it was designed. What can be done to resolve the delay on this application?

- A. APs should be using 160 MHz channel-widths to get more throughput
- B. Reconfigure to use 20 MHz channel-widths, so reuse of the frequency is more effective
- C. Power-off half of the APs to reduce CCI and keep 80 MHz channel-widths
- D. Add more APs using 80 MHz channel-widths

Correct Answer: B

QUESTION 4

What document should be created that provides instructions for install technicians to mount and configure APs?



- A. Hold Harmless
- B. Statement of Work
- C. Bill of Materials
- D. Physical installation guide

Correct Answer: D

QUESTION 5

You performed a site survey with two USB Wi-Fi adapters using a special driver written for the site survey software. After deployment, you realized that the client devices used by your customer are getting lower RSSI values than that shown during your site survey. What is the most likely reason for this result?

- A. USB Wi-Fi adapters designed for site surveys may have better sensitivity than regular Wi-Fi cards installed in client devices.
- B. The transmit power on the APs is higher than needed.
- C. Regular Wi-Fi cards installed in client devices do not support the same protocols as survey adapters.
- D. USB Wi-Fi adapters have a greater sensitivity than internal Wi-Fi adapters.

Correct Answer: A

[Latest CWDP-303 Dumps](#)

[CWDP-303 Study Guide](#)

[CWDP-303 Braindumps](#)