



# CWNA-107<sup>Q&As</sup>

Certified Wireless Network Administrator

**Pass CWNP CWNA-107 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/cwna-107.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

You are evaluating access points for use in the 5GHz frequency band. What PHY supports this band and supports 80 MHz channels?

- A. OFDM
- B. HT
- C. VHT
- D. ERP

Correct Answer: C

Reference <https://www.cwnp.com/802-11ac-vht-just-the-facts/>

---

### QUESTION 2

In WLAN security, what authentication method always creates Layer 2 dynamic encryption keys?

- A. Shared Key
- B. WEP
- C. HTTPS captive portal
- D. EAP-TLS

Correct Answer: B

Reference [https://books.google.com.pk/books?id=0ZWLn57EdpsCandpg=PA142andlpg=PA142anddq=WLAN+security,+what+authentication+method+always+creates+Layer+2+dynamic+encryption+keysandsource=blandots=CBgudPbaRhandsig=s7kLv2NeFqfjoBK6A\\_X9T2Nc0kandhl=enandsa=Xandved=0ahUKEwithMDooazZAhXMCuwKHfSNckQ6AEIWTAH#v=onepageandq=WLAN%20security%2C%20what%20authentication%20method%20always%20creates%20Layer%20%20dynamic%20encryption%20keysandf=false](https://books.google.com.pk/books?id=0ZWLn57EdpsCandpg=PA142andlpg=PA142anddq=WLAN+security,+what+authentication+method+always+creates+Layer+2+dynamic+encryption+keysandsource=blandots=CBgudPbaRhandsig=s7kLv2NeFqfjoBK6A_X9T2Nc0kandhl=enandsa=Xandved=0ahUKEwithMDooazZAhXMCuwKHfSNckQ6AEIWTAH#v=onepageandq=WLAN%20security%2C%20what%20authentication%20method%20always%20creates%20Layer%20%20dynamic%20encryption%20keysandf=false)

---

### QUESTION 3

When an ACK frame is not received by the transmitting STA, what is assumed?

- A. The frame was correctly delivered
- B. The frame was not delivered and must be retransmitted
- C. The receiver is offline
- D. The receiver processed the frame, but did not respond with an ACK frame because 802.11w is enabled

Correct Answer: B

---



#### QUESTION 4

When using a spectrum analyzer to look for non-Wi-Fi interference sources, you notice significant interference across the entire 2.4 GHz band (not on a few select frequencies) within the desktop area of a user's workspace, but the interference disappears quickly after just 2 meters. What is the most likely cause of this interference?

- A. USB 3 device in the user's work area
- B. Bluetooth devices in the user's work area
- C. Excess RF energy from a nearby AP
- D. Unintentional radiation from the PC power supply

Correct Answer: D

Reference [https://www.reddit.com/r/electronics/comments/2i2s76/is\\_the\\_emf\\_of\\_a\\_pc\\_without\\_a\\_case\\_much\\_higher/?st=jdr0fxpmandsh=1a61beda](https://www.reddit.com/r/electronics/comments/2i2s76/is_the_emf_of_a_pc_without_a_case_much_higher/?st=jdr0fxpmandsh=1a61beda)

---

#### QUESTION 5

What common feature of MDM solutions can be used to protect enterprise data on mobile devices?

- A. Over-the-air registration
- B. Onboarding
- C. Containerization
- D. Self-registration

Correct Answer: B

[Latest CWNA-107 Dumps](#)

[CWNA-107 PDF Dumps](#)

[CWNA-107 Study Guide](#)