



CWNA-107^{Q&As}

Certified Wireless Network Administrator

Pass CWNP CWNA-107 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/cwna-107.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which one of the following channels can be used for VHT transmissions?

- A. 44
- B. 1
- C. 7
- D. 13

Correct Answer: A

QUESTION 2

When an ACK frame is not received by the transmitting STA, what is assumed?

- A. The frame was correctly delivered
- B. The frame was not delivered and must be retransmitted
- C. The receiver is offline
- D. The receiver processed the frame, but did not respond with an ACK frame because 802.11w is enabled

Correct Answer: B

QUESTION 3

You are deploying a WLAN monitoring solution that utilizes distributed sensor devices. Where should sensors be deployed for best results? Choose the single best answer.

- A. Every 20 feet and alongside each AP
- B. Closer to the APs
- C. Closer to the client devices
- D. IN critical areas where WLAN performance must be high

Correct Answer: C

QUESTION 4

What is an advantage of using WPA2-Personal instead of WEP-128 as a security solution for 802.11 networks?

- A. WPA2-Personal uses CCMP for encryption, and WEP-128 uses TKIP for encryption



- B. WPA2-Personal uses dynamic encryption keys, and WEP-128 uses static keys
- C. WPA2-Personal uses 802.1X/EAP for authentication, and WEP-128 uses preshared keys
- D. WPA2-Personal is based on IEEE 802.11 industry standards, but WEP is not

Correct Answer: B

QUESTION 5

You are reporting on the RF environment in your facility. The manager asks you to describe the noise floor noted in the report. Which of the following is the best explanation?

- A. The energy radiated by flooring materials that causes interference in the 2.4 GHz and 5 GHz bands.
- B. The noise caused by elevators, microwave ovens, and video transmitters.
- C. The RF energy that exists in the environment from intentional and unintentional RF radiators that forms the baseline above which the intentional signal of your WLAN must exist.
- D. The extra energy radiated by access points and client devices beyond that intended for the signal.

Correct Answer: B

Reference <http://blog.prosig.com/2008/04/14/what-is-db-noise-floor-dynamic-range/>

[Latest CWNA-107 Dumps](#)

[CWNA-107 Practice Test](#)

[CWNA-107 Exam Questions](#)