



CWNA-108^{Q&As}

Certified Wireless Network Administrator

Pass CWNP CWNA-108 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/cwna-108.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

You are troubleshooting a WLAN problem and you suspect hidden node as the cause. What should you look for in a protocol analyzer?

- A. Frames with the HN bit set to 1
- B. Frames with the retry bit set to 0
- C. Frames transmitted from the AP without acknowledgement
- D. Retransmitted frames from multiple STAs at higher rates than other STAs

Correct Answer: D

Reference <http://setup-wireless.blogspot.com/2008/11/wireless-hidden-node.html>

QUESTION 2

A standard PoE injector is used to power an access point requiring 802.3at. CAT6 cabling is in use. What is the maximum distance supported between the access point and the Ethernet switch with the use of a midspan power injector?

- A. 100 meters
- B. 300 meters
- C. 328 meters
- D. 200 meters

Correct Answer: A

QUESTION 3

An 802.11 WLAN transmitter that emits a 50 mW signal is connected to a cable with 3 dB of loss. The cable is connected to an antenna with 16 dBi of gain.

What is the EIRP power output?

- A. 2 W
- B. 250 mW
- C. 1000 mW
- D. 500 mW

Correct Answer: C

**QUESTION 4**

ABC Company is planning a point-to-multipoint bridge deployment with standalone (autonomous) 802.11 bridge units. 802.1X/EAP will be used for bridge authentication. A Linux-based RADIUS server will be used for authentication. What device in the bridge implementation acts as the 802.1X Authenticator?

- A. All non-root bridges
- B. The root bridge
- C. The Ethernet switch
- D. The RADIUS server

Correct Answer: C

QUESTION 5

What common feature of MDM solutions can be used to protect enterprise data on mobile devices?

- A. Over-the-air registration
- B. Onboarding
- C. Containerization
- D. Self-registration

Correct Answer: B

[CWNA-108 Study Guide](#)

[CWNA-108 Exam Questions](#)

[CWNA-108 Braindumps](#)