



CWNA-108^{Q&As}

Certified Wireless Network Administrator

Pass CWNP CWNA-108 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/cwna-108.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

You are performing a post-implementation validation survey. What basic tool can be used to easily locate areas of high co-channel interference?

- A. Throughput tester
- B. Laptop-based spectrum analyzer
- C. Access point spectrum analyzer
- D. Wi-Fi scanner

Correct Answer: D

QUESTION 2

When performing a validation survey for a Multiple Channel Architecture (MCA) system in a multi-tenant building with five floors, what aspect should you, as the surveyor, keep in mind?

- A. The RF interference caused by passing airplanes supporting on-board Wi-Fi should be a prime consideration
- B. The channel reuse pattern should be three dimensional with the RF cell extending coverage of each access point to other floors
- C. The omni-directional antennas of the access points should be oriented parallel to the floor to maximize the coverage pattern across as many floors as possible
- D. The Fresnel Zone is completely blocked between floors so each floor is considered a separate site survey

Correct Answer: B

QUESTION 3

In WLAN security, what authentication method always creates Layer 2 dynamic encryption keys?

- A. Shared Key
- B. WEP
- C. HTTPS captive portal
- D. EAP-TLS

Correct Answer: B

Reference https://books.google.com.pk/books?id=0ZWLn57EdpsCandpg=PA142andlpg=PA142anddq=WLAN+security,+what+authentication+method+always+creates+Layer+2+dynamic+encryption+keysandsource=blandots=CBgudPbaRhandsig=s7kLv2NeFqfjoBK6A_X-9T2Nc0kandhl=enandsa=Xandved=0ahUKEwithMDooazZAhXMCuwKHfSNC-kQ6AEIwTAH#v=onepageandq=WLAN%20security%2C%20what%20authentication%20method%20always



%20creates%20Layer%20%20dynamic%20encryption%20keysandf=false

QUESTION 4

When considering data rates available in HT and VHT PHY devices, in addition to the modulation, coding, channel width, and spatial streams, what impacts the data rate according to the MCS tables?

- A. The frequency band in use
- B. The client drives
- C. The guard interval
- D. The height of the antennas

Correct Answer: C

Reference <https://arxiv.org/pdf/1702.03257.pdf>

QUESTION 5

A non-802.11 device is suspected of causing interference on the WLAN. You are not certain of the location or type of device. What is the best solution for locating this non-802.11 device?

- A. Access point spectrum analyzer
- B. Laptop-based spectrum analyzer with an omni-directional antenna
- C. Laptop-based spectrum analyzer with an omni-directional antenna
- D. Laptop-based spectrum analyzer with a directional antenna

Correct Answer: D

[Latest CWNA-108 Dumps](#)

[CWNA-108 Study Guide](#)

[CWNA-108 Exam Questions](#)