



# CWNA-108<sup>Q&As</sup>

Certified Wireless Network Administrator

**Pass CWNP CWNA-108 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/cwna-108.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

You are troubleshooting a controller-based AP that is unable to locate the controller. DHCP is not used and the controller is located at 10.10.10.81/24 while the AP is on the 10.10.16.0/24 network. What should be inspected to verify proper configuration?

- A. NTP
- B. BOOTH
- C. DNS
- D. AP hosts file

Correct Answer: C

---

### QUESTION 2

The center frequency of channel 1 in the 2.4 GHz band is 2.412 GHz (2412 MHz). What is the center frequency of channel 4?

- A. 2.413
- B. 2.427
- C. 2.422
- D. 2.417

Correct Answer: B

---

### QUESTION 3

You are troubleshooting an issue reported by several wireless users. The problem is contained to one cell (several users connected to the same AP). You manage the WLAN and no other network devices. After analysis it appears to be a switch problem. What action should be taken?

- A. Create a plan of action and implement it
- B. Escalate the problem to the network administration team
- C. Document the results and close the case
- D. Escalate the problem to the wireless vendor support staff

Correct Answer: B

---

### QUESTION 4



---

The IEEE 802.11-2016 standard requires VHT capable devices to be backward compatible with devices using which other 802.11 physical layer specification (PHY)?

- A. ERP-PBCC
- B. DSSS
- C. OFDM
- D. HR/DSSS

Correct Answer: C

---

#### QUESTION 5

What statement about 802.3, Clause 33 Power over Ethernet is true?

- A. When using CAT5 cabling, you increase the maximum draw available to the PD over that available with CAT6.
- B. Only endpoint PSEs are supported.
- C. Only midspan PSEs are supported.
- D. The lowest voltage drop is achieved when using CAT6 cable instead of Cat5 or CAT5e.

Correct Answer: D

[Latest CWNA-108 Dumps](#)

[CWNA-108 PDF Dumps](#)

[CWNA-108 VCE Dumps](#)