



CWSP-206^{Q&As}

CWSP Certified Wireless Security Professional

Pass CWNP CWSP-206 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/cwsp-206.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

The IEEE 802.11 Pairwise Transient Key (PTK) is derived from what cryptographic element?

- A. PeerKey (PK)
- B. Group Master Key (GMK)
- C. Key Confirmation Key (KCK)
- D. Pairwise Master Key (PMK)
- E. Phase Shift Key (PSK)
- F. Group Temporal Key (GTK)

Correct Answer: D

QUESTION 2

You perform a protocol capture using Wireshark and a compatible 802.11 adapter in Linux. When viewing the capture, you see an auth req frame and an auth rsp frame. Then you see an assoc req frame and an assoc rsp frame. Shortly after, you see DHCP communications and then ISAKMP protocol packets. What security solution is represented?

- A. 802.1X/EAP-TTLS
- B. WPA2-Personal with AES-CCMP
- C. 802.1X/PEAPv0/MS-CHAPv2
- D. EAP-MD5
- E. Open 802.11 authentication with IPSec

Correct Answer: E

QUESTION 3

Joe's new laptop is experiencing difficulty connecting to ABC Company's 802.11 WLAN using 802.1X/EAP PEAPv0. The company's wireless network administrator assured Joe that his laptop was authorized in the WIPS management console for connectivity to ABC's network before it was given to him. The WIPS termination policy includes alarms for rogue stations, rogue APs, DoS attacks and unauthorized roaming. What is a likely reason that Joe cannot connect to the network?

- A. An ASLEAP attack has been detected on APs to which Joe's laptop was trying to associate. The WIPS responded by disabling the APs.
- B. Joe configured his 802.11 radio card to transmit at 100 mW to increase his SNR. The WIPS is detecting this much output power as a DoS attack.
- C. Joe's integrated 802.11 radio is sending multiple Probe Request frames on each channel.



D. Joe disabled his laptop's integrated 802.11 radio and is using a personal PC card radio with a different chipset, drivers, and client utilities.

Correct Answer: D

QUESTION 4

ABC Company is an Internet Service Provider with thousands of customers. ABC's customers are given login credentials for network access when they become a customer. ABC uses an LDAP server as the central user credential database. ABC is extending their service to existing customers in some public access areas and would like to use their existing database for authentication. How can ABC Company use their existing user database for wireless user authentication as they implement a large-scale WPA2Enterprise WLAN security solution?

- A. Implement a RADIUS server and query user authentication requests through the LDAP server.
- B. Mirror the LDAP server to a RADIUS database within a WLAN controller and perform daily backups to synchronize the user databases.
- C. Import all users from the LDAP server into a RADIUS server with an LDAP-to-RADIUS conversion tool.
- D. Implement an X.509 compliant Certificate Authority and enable SSL queries on the LDAP server.

Correct Answer: A

QUESTION 5

After completing the installation of a new overlay WIPS for the purpose of rogue detection and security monitoring at your corporate headquarters, what baseline function MUST be performed in order to identify the security threats?

- A. Separate security profiles must be defined for network operation in different regulatory domains.
- B. WLAN devices that are discovered must be classified (rogue, authorized, neighbor, etc.) and a WLAN policy must define how to classify new devices.
- C. Upstream and downstream throughput thresholds must be specified to ensure that service-level agreements are being met.
- D. Authorized PEAP usernames must be added to the WIPS server's user database.

Correct Answer: B

[CWSP-206 PDF Dumps](#)

[CWSP-206 Study Guide](#)

[CWSP-206 Braindumps](#)