



DCPPE-200^{Q&As}

Dell PowerEdge Professional Exam

Pass Dell DCPPE-200 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/dcppe-200.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Dell Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An engineer is troubleshooting a VRTX with the following configuration:

- Dual Shared PERC Internal cards in a fault tolerant configuration
- Nodes installed in SLOTS 1 and 2
- Virtual adapters set to Multiple Assignment
-

Two virtual drives set to Full Access on SLOTS 1 and 2

The OS of the node in SLOT 1 shows more than the two disks assigned to it.

What should the engineer do to fix this issue?

- A.
Power cycle the node in SLOT 1 to reset the connections
- B.
Configure MPIO services in the OS of SLOT 1
- C.
Set the virtual drives to No Access on SLOT 2
- D.
Set the virtual adapters to SingleAssignment

Correct Answer: C

QUESTION 2

An engineer needs to configure server 1 to communicate on tagged VLANs 10, 20, and 30 and untagged VLAN 50. The server is in SLOT 1 of an FX2s chassis with two FN410s IOAs. The switches are currently set to default settings.

Which command should be entered in each IOA to perform the engineer's task?

- A. `interface range vlan 10, vlan 20, vlan 30, vlan 50`
`no shut``interface TenGigabitEthernet 0/1``portmode hybrid``switchportvlan tagged 10,20,30``vlan untagged 50`
- B. `interface range vlan 10, vlan 20, vlan 30, vlan 50`
`no shut``interface TenGigabitEthernet 0/1``switchportvlan tagged 10,20,30``default vlan 50`
- C. `interface range vlan 10, vlan 20, vlan 30, vlan 50`
`no shut``interface TenGigabitEthernet 0/1``switchportvlan tagged 10,20,30``default vlan-id 50`
- D. `interface range vlan 10, vlan 20, vlan 30, vlan 50`
`no shut``interface TenGigabitEthernet 0/1``portmode`



hybridswitchportvlan tagged 10,20,30

Correct Answer: A

QUESTION 3

An engineer is installing a server node with a quad port 1GbE NIC into SLOT 3 on a VRTX chassis with a 1GbE Pass-Through Module (PTM) in Fabric A.

During POST of this server, a message indicates that ports 3 and 4 of the NIC are being disabled. The system completes the boot process and is otherwise operational.

What is causing this message?

- A. The ports have NOT been enabled on the PTM.
- B. The PTM only provides eight external ports.
- C. The server node needs to be in SLOT 1 to access additional ports.
- D. Another server node is already using ports needed on the PTM.

Correct Answer: A

QUESTION 4

A VRTX server comes with two server modules. The customer requests to assign three PCIe Adapters per each server module. While performing this configuration, the engineer is unable to assign more than two PCIe Adapters per server module.

What is the cause of this issue?

- A. The VRTX chassis came with a CMC Express License.
- B. The CMC configuration needs to be reset to the factory defaults.
- C. The VRTX chassis needs to be updated with the latest firmware.
- D. This is a limitation of VRTX chassis.

Correct Answer: D

QUESTION 5

A VRTX has the following physical disks:

-8 300 GB SSDs

-10 300 GB 15,000 rpm HDDs

An engineer needs to create two virtual disks for a file server: a system volume and a data volume.



The customer wants to maximize performance of the system volume and maximize redundancy of the data volume.

The customer also wants both virtual disks to survive one drive failure without the customer's intervention.

Which option is most appropriate to meet the requirements?

- A. System: 7 SSDs in RAID 0 Data: 9 HDDs in RAID 6 One SSD and one HDD as dedicated hot spares for each volume
- B. System: 8 SSDs in RAID 10 Data: 8 HDDs in RAID 6 Two HDDs as dedicated hot spares for each volume
- C. System: 6 SSDs in RAID 10 Data: 10 HDDs in RAID 6 Two SSDs as dedicated hot spares for each volume
- D. System: 7 SSDs in RAID 5 Data: 9 HDDs in RAID 6 One SSD and one HDD as dedicated hot spares for each volume

Correct Answer: D

[DCPPE-200 PDF Dumps](#)

[DCPPE-200 Study Guide](#)

[DCPPE-200 Exam Questions](#)