



DEA-3TT2^{Q&As}

Associate - Data Protection and Management Version 2

Pass EMC DEA-3TT2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/dea-3tt2.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A storage system is configured with erasure coding, divided up into 12 data segments and 4 coding segments. Each segment is written to different drives. What is the maximum number of drive failures that can be withstood without losing the data in this configuration?

- A. 6
- B. 4
- C. 3
- D. 5

Correct Answer: B

QUESTION 2

What is an example of reporting in a data protection environment?

- A. Track events impacting data recovery and availability of components
- B. Measure environmental parameters and deviations
- C. Trigger alerts when backup window is exceeded, and policies are violated
- D. Gather data for trend analysis and capacity planning

Correct Answer: C

QUESTION 3

Which are the primary software methods for Data Security Governance?

- A. masking, de-identification, and NER
- B. masking, classification, and PCRE
- C. classification, discovery, and incident management
- D. classification, discovery, and de-identification

Correct Answer: D

QUESTION 4

DRAG DROP

What is the correct sequence of actions during a DDBoost backup?



Select and Place:

The chunks are hashed	Step 1
Hashes are compared with chunks already existing on thePowerProtect DD	Step 2
Client agent checks the file system and determines if this version of the file has been backed up before	Step 3
Modified files are broken into chunks	Step 4
Only new and unique data chunks are backed up on thePowerProtect DD	Step 5

Correct Answer:

	Modified files are broken into chunks
	The chunks are hashed
	Hashes are compared with chunks already existing on thePowerProtect DD
	Client agent checks the file system and determines if this version of the file has been backed up before
	Only new and unique data chunks are backed up on thePowerProtect DD



QUESTION 5

What is true of hot-swappable hardware?

- A. All components need to be rearranged after swap
- B. Reboot is required after a change
- C. All fans need to be running to ensure proper cooling
- D. Replaceable with zero downtime

Correct Answer: D

[DEA-3TT2 PDF Dumps](#)

[DEA-3TT2 Exam Questions](#)

[DEA-3TT2 Braindumps](#)