



DEA-5TT1^{Q&As}

Associate - Networking Exam

Pass EMC DEA-5TT1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/dea-5tt1.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Refer to the exhibit.



Switch A and Switch B are connected to each other. Both switches use interfaces Gi1/0/1 and Gi1/0/2. Switch A has a Spanning Tree priority of 8192 and Switch B has the default priority. Which interface becomes the root port?

- A. Switch A Gi1/0/1
- B. Switch A Gi1/0/2
- C. Switch B Gi1/0/1
- D. Switch B Gi1/0/2

Correct Answer: A

QUESTION 2

Which flags are used in the TCP header to initiate and end TCP connections or sessions?

- A. Initiate = Acknowledge (ACK) End = Synchronize (SYN)
- B. Initiate = Acknowledge (ACK) End = Finish (FIN)



C. Initiate = Synchronize (SYN) End = Finish (FIN)

D. Initiate = Finish (FIN) End = Synchronize (SYN)

Correct Answer: C

QUESTION 3

You recently joined a company as a junior-level network administrator. You have been tasked with designing the IPv4 scheme for five networks that will be used for training classrooms. These networks need to support no more than 28 devices each. Due to the existing network design, the senior-level network administrator has asked you to work on network 192.168.40.0/24.

If all networks must be made to logically start with the lowest numbered network and end with the largest numbered network, what is the network ID for the third network?

A. 192.168.40.32/27

B. 192.168.40.64/27

C. 192.168.40.96/27

D. 192.168.40.128/27

Correct Answer: B

QUESTION 4

Which BASE-T Ethernet standard specifies a CAT6 cable type?

A. 2.5GBASE-T

B. 5GBASE-T

C. 10BASE-T

D. 10GBASE-T

Correct Answer: D

QUESTION 5

On which Dell EMC Networking switches can Multi-Chassis Link Aggregation (MLAG) be configured?

A. C9000 Series

B. N-Series

C. S-Series

D. Z-Series



Correct Answer: B

[Latest DEA-5TT1 Dumps](#)

[DEA-5TT1 VCE Dumps](#)

[DEA-5TT1 Braindumps](#)