

DES-1121 Q&As

Specialist - Implementation Engineer PowerMax and VMAX Family Solutions Version 1.0

Pass EMC DES-1121 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/des-1121.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/des-1121.html

2024 Latest geekcert DES-1121 PDF and VCE dumps Download

QUESTION 1

Two PowerMax arrays have been configured for replication using SRDF During a disaster recovery operation production has been transferred to the R2 devices at the target site. Which operation begins the transfer of accumulated invalid tracks from the R2s to the R1s while production work continues on the R2s?

tracks from the R2s to the R1s while production work continues on the R2s?
A. Update
B. Fallback

D. Failover

C. Resume

Correct Answer: C

QUESTION 2

When listing the details of a snapshot, what does "Total Deltas" reference?

- A. Difference between the source and target
- B. Difference between the snapshot and the target
- C. Difference between the snapshot and the source
- D. Difference between the snapshot and a newer snapshot

Correct Answer: D

QUESTION 3

Which Solutions Enabler daemon is responsible for Oatekeeper management?

- A. storapid
- B. storsrvd
- C. storslpd
- D. storgnsd

Correct Answer: C

QUESTION 4

What is a recommendation when using Open Replicator to migrate data from a supported third-party array to a VMAX3 array?



https://www.geekcert.com/des-1121.html 2024 Latest geekcert DES-1121 PDF and VCE dumps Download

- A. Host I/O to the control devices on the VMAX3 array is allowed after the migration completes
- B. Control devices on the VMAX3 array must be set to Not Ready for the duration of the migration
- C. Host I/O to the remote devices on the third-party array can continue during the migration
- D. Host I/O to the remote devices on the third-party array should be stopped for the duration of the migration

Correct Answer: D

QUESTION 5

Which PowerMax software packages include NorvDisruplive Migration?

- A. FX and Pro
- B. Essentials and Pro
- C. F and FX
- D. F and Essentials

Correct Answer: A

<u>Latest DES-1121 Dumps</u> <u>DES-1121 Exam Questions</u> <u>DES-1121 Braindumps</u>