



DES-1121^{Q&As}

Specialist - Implementation Engineer PowerMax and VMAX Family
Solutions Version 1.0

Pass EMC DES-1121 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/des-1121.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is the default size of a Gatekeeper on a PowerMax array?

- A. 3 cylinder
- B. 3 MB
- C. 6 cylinder
- D. 6 KB

Correct Answer: C

QUESTION 2

Which VMAX All Flash software package includes Non-Disruptive Migration?

- A. FX
- B. Essentials
- C. Pro
- D. AppSync Starter

Correct Answer: D

QUESTION 3

What is a recommendation when using Open Replicator to migrate data from a supported third-party array to a VMAX3 array?

- A. Host I/O to the control devices on the VMAX3 array is allowed after the migration completes
- B. Control devices on the VMAX3 array must be set to Not Ready for the duration of the migration
- C. Host I/O to the remote devices on the third-party array can continue during the migration
- D. Host I/O to the remote devices on the third-party array should be stopped for the duration of the migration

Correct Answer: D

QUESTION 4

What are the Compliance levels for Storage Groups in Unisphere for PowerMax?

- A. Critical, Marginal, Warning, and No Status



- B. Fatal Critical Warning, and No Status
- C. Fatal. Critical. Stable, and No Status
- D. Critical, Marginal. Stable, and No Status

Correct Answer: D

QUESTION 5

When creating SRDP groups, what is always identical on both the participating arrays?

- A. Port speed
- B. Name of the SRDF group
- C. SRDF group number
- D. SRDF Directors

Correct Answer: C

[DES-1121 Practice Test](#)

[DES-1121 Study Guide](#)

[DES-1121 Braindumps](#)