



DES-1221^{Q&As}

Specialist - Implementation Engineer, PowerStore Solutions

Pass EMC DES-1221 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/des-1221.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

When a Volume is selected for the intercluster migration, what other data services associated with the volume will also be moved with it?

- A. Thin Clones and snapshots
- B. Thin Clones and File systems
- C. Replications and Volume Groups
- D. NAS Servers and File systems

Correct Answer: B

QUESTION 2

DRAG DROP

Match the CLI command to the appropriate configuration.

Select and Place:

Answer Area

Configuration	Command
Ensure the switch has precedence	<code> #(conf-vlt-1) discovery-interface ethernet 1/1/55-1/1/56 </code>
Configure a switch as a VLT backup	<code> #(conf-range-eth1/1/55-1/1/56) no switchport </code>
Add VLTi ports to a VLTi domain	<code> # copy running-configuration startup-configuration </code>
Commit and save configuration	<code> #(conf-vlt-1) backup destination 172.17.57.30 </code>
Disable L2 Mode on a VLTi interface	<code> #(conf-vlt-1) primary-priority 1 </code>

Correct Answer:



Answer Area

Configuration

Command

Configure a switch as a VLT backup

Commit and save configuration

Ensure the switch has precedence

Disable L2 Mode on a VLTi interface

Add VLTi ports to a VLTi domain

QUESTION 3

Which network is used by the PowerStore for communication to the cluster database?

- A. inter-node
- B. ICM
- C. IDN
- D. ICD

Correct Answer: A

Reference: <https://www.dell.com/support/manuals/en-pk/powerstore-1000t/pwrstr-ntwk-plang/powerstore-t-model-appliance-networks?guid=guid-97a3e988-c1bc-4f51-a445-3af23f19da1b>

QUESTION 4

A customer wants to add capacity to their PowerStore 5000T. The system is populated with 6 NVMe SCM 750 GB drives. What is the maximum number and type of drives that can be added to the base enclosure?

- A. 15 NVMe SCM
- B. 15 NVMe SSD
- C. 17 NVMe SCM



D. 17 NVMe SSD

Correct Answer: A

QUESTION 5

What is the total number of NVRAM devices used in PowerStore 3000?

A. 2

B. 4

C. Up to 6

D. Up to 21

Correct Answer: A

Reference: [https://volumes.blog/2020/05/05/whats-is-powerstore-part-2-hardware/#:~:text=On%20the%20PowerStore%201000%20and,\(2\)%20NVMe%20NVRAM%20devices.andtext=PowerStore%20supports%20four%20types%20of,in%20specific%20locations%20and%20enclosures.](https://volumes.blog/2020/05/05/whats-is-powerstore-part-2-hardware/#:~:text=On%20the%20PowerStore%201000%20and,(2)%20NVMe%20NVRAM%20devices.andtext=PowerStore%20supports%20four%20types%20of,in%20specific%20locations%20and%20enclosures.)

[DES-1221 VCE Dumps](#)

[DES-1221 Practice Test](#)

[DES-1221 Braindumps](#)