

DES-1721 Q&As

Specialist - Implementation Engineer-SC Series Exam

Pass EMC DES-1721 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/des-1721.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/des-1721.html 2024 Latest geekcert DES-1721 PDF and VCE dumps Download

QUESTION 1

A customer has a dual controller system, two independent Fibre Channel switches, and six servers all multipathed. How many zones should be present on each for the SAN to run properly in Virtual Port Mode?

A. 6

B. 8

C. 12

D. 16

Correct Answer: D

QUESTION 2

Which method can be used to identify the server HBA WWN?

- A. Brocade Web Tools "Port Admin" tab
- B. Dell Storage Manager Data Collector
- C. Dell Storage Manager Client
- D. QConverge Console GUI

Correct Answer: C

QUESTION 3

What three core features are part of the protection bundle?

- A. Live Volume, Remote Instant Replay, Replay Manager
- B. Data Progression, Remote Instant Replay, Replay Manager
- C. Live Volume, Data Progression, Replay Manager
- D. Live Volume, Remote Instant Replay, FastTrack


Correct Answer: A

Reference: https://www.dell.com/support/manuals/ai/en/aibsdt1/storage-sc9000/sc-7.2-rn/sc4020-features-and-licenses?guid=guid-6c1c9dd9-d086-4b99-bca3-bb650dcee9b5andlang=en-us

QUESTION 4

Refer to the exhibit.





Which port on the second SC280 expansion enclosure is used to connect the first expansion enclosure to the second expansion enclosure on the A-side of this configuration?

A. A = Port A, left EMM

B. B = Port B, Left EMM

C. C = Port C, Left EMM

D. D = Port B, Right EMM

Correct Answer: A

QUESTION 5



https://www.geekcert.com/des-1721.html 2024 Latest geekcert DES-1721 PDF and VCE dumps Download

When connecting directly to an SC7020 storage array using Dell Storage Manager Client, which host/IP address is entered into the login screen?

- A. Data Collector IP address of the Storage Center
- B. Management IP address of the Storage Center
- C. Bottom Storage Controller Management IP address
- D. Top Storage Controller Management IP address

Correct Answer: A

Reference: https://www.dell.com/storagehelp/dellstorageclient/2016R2/enus/GUID-931D776E-64AC-4826-A20C-8988C94F2A9C.html

DES-1721 VCE Dumps

DES-1721 Exam Questions

DES-1721 Braindumps