

DES-1721^{Q&As}

Specialist - Implementation Engineer-SC Series Exam

Pass EMC DES-1721 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/des-1721.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by EMC Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers







QUESTION 1

Refer to the exhibits.

Which is the correct front end and cabling for an SC7020 with 2 port FC connectivity?







- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: C

Reference: https://www.dell.com/support/manuals/us/en/04/dell-compellent-sc4020/sc4020om-v8/two-iscsi-networks-usi ng-the-embedded-ethernet-ports-on-a-storage-system-with-fibre-channel-storag~?guid=guid-55858fd3-2a28-4739-8eace60769d03438andlang=en-us

QUESTION 2



DRAG DROP

Match the Snapshot type with the description related to Snapshot creation.

Select and Place:

<u>Type:</u>	Description:
VMware Snapshot	Replay Manager uses VSS to halt IO for associated volumes when creating a snapshot
Standard Snapshot	Halts all IO to associated volumes when creating a snapshot
SQL or Exchange Snapshot	Takes snapshots in series for associared volumes when creating a snapshot
Parallel Snapshot	Takes snapshots simultaneously for associated volumes when creating a snapshot
Consistent Snapshot	DSITV instructs Data Instant Replay to take a snapshot of the Dell SC volume

Correct Answer:

Type:



VMware Snapshot
Consistent Snapshot
Standard Snapshot
Parallel Snapshot
SQL or Exchange Snapshot



Reference: https://www.dell.com/storagehelp/dellstorageclient/2016R2/en-us/GUID-DDFF60E6-30F1-4CBE-9176-3B12C4249CCF.html

QUESTION 3

A customer has two production sites with one storage administrator at each site. The customer wants to replicate data between their SC9000 storage arrays. Each administrator uses a workstation with the Dell Storage Manager Client to manage their respective system. Now, the CEO wants data replicated between both sites.

What is the first step to configure replication between sites?

- A. Configure an iSCSI network over WAN
- B. Install Dell Storage Manager Data Collector
- C. Create a QoS node in Dell Storage Manager Client
- D. Initially sync data with USB hard drives

Correct Answer: B

QUESTION 4

While installing a SC system the customer reports that it will house a database that has a nightly database backup that starts at 6 pm. What system configuration change can you make to lessen the impact of this SQL job?

- A. Set the volume for Snapshot on RAID 6
- B. Change Data Progression start time
- C. Set the volume to have a Snapshot taken at 6 pm
- D. Set Data Progression to run for 1 hour

Correct Answer: B

QUESTION 5

When an RS-232 serial cable is connected between a service laptop and SC Series hardware, which parameters need to be selected?

A. Baud Rate = 9600, Parity = None Data Bits = 8, Stop Bits =1, Flow Control = XON/XOFF

B. Baud Rate = 115200, Parity = None Data Bits = 8, Stop Bits = 1, Flow Control = XON/XOFF

C. Baud Rate = 115200, Parity =None Data Bits = 8, Stop Bits = 1, Flow Control = None

D. Baud Rate = 115200, Parity = Even Data Bits = 8, Stop Bits = 1, Flow Control = XON/XOFF

Correct Answer: A



Latest DES-1721 Dumps

DES-1721 VCE Dumps

DES-1721 Study Guide