



DES-1D12^{Q&As}

Specialist - Technology Architect Midrange Storage Solutions

Pass EMC DES-1D12 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/des-1d12.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

When enabling a multi-protocol NAS implementation on a Dell EMC PowerStore array, what is required for an end-to-end mapping of a UNIX system?

- A. Security ID (SID) and Active Directory (AD)
- B. User ID (UID) and Group ID (GID)
- C. Group ID (GID) and Active Directory (AD)
- D. Security ID (SID) and User ID (UID)

Correct Answer: B

In multiprotocol implementations (both SMB and NFS protocols enabled), an endto-end mapping from Windows Security ID (SID) to UNIX User ID (UID) and Group ID (GID) is required.

QUESTION 2

What is a characteristic of tenant traffic on a Dell EMC Unity array?

- A. Separated by the associated VLANs at the Linux Kernel layer
- B. Separated by the associated subnet providing data separation with increasing security at the network layer
- C. Separated by one associated VLAN providing data separation with increasing security at the Linux Kernel layer
- D. Separated by the associated subnet at the Linux Kernel layer

Correct Answer: A

QUESTION 3

When sizing a Dell EMC Unity Hybrid array, what are considerations for performance?

- A. Workload and hardware bottlenecks
- B. Active data and load balancing
- C. Drive size and component redundancy
- D. General capacity and port utilization

Correct Answer: A

Reference: <https://www.delltechnologies.com/en-us/collaterals/unauth/white-papers/products/storage/h15093-dell-emc-unity-best-practices-guide.pdf>



QUESTION 4

What is a feature of Dell EMC Unity unified snapshots?

- A. Delta set extension
- B. Copy on First Access
- C. Redirect on Write
- D. Copy on First Write

Correct Answer: C

Reference; https://www.delltechnologies.com/en-ba/collaterals/unauth/white-papers/products/storage/h15089-dell_emc_unity-snapshots_and_thin_clones.pdf (7)

QUESTION 5

When enabling a multi-protocol NAS implementation on a Dell EMC PowerStore array, what is required for an end-to-end mapping of a Windows system?

- A. Group ID (GID)
- B. User ID (UID)
- C. Active Directory (AD)
- D. Security ID (SID)

Correct Answer: D

<https://www.delltechnologies.com/en-us/collaterals/unauth/white-papers/products/storage/h18155-dell-emc-powerstore-file-capabilities.pdf> page 22, multiprotocol, windows section, identifiers

[Latest DES-1D12 Dumps](#)

[DES-1D12 Practice Test](#)

[DES-1D12 Study Guide](#)