



DES-4121^{Q&As}

PowerEdge Specialist Exam for Implementation Engineer

Pass EMC DES-4121 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/des-4121.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A server is equipped with 2 CPUs and 12x 8 GB DIMMs, for a total of 96 GB. The OS is not seeing all the memory. Which memory mode should be configured so that all memory is seen by the OS?

- A. Mirroring
- B. Advanced ECC
- C. Optimizer
- D. Sparing

Correct Answer: C

Reference <https://www.dell.com/support/article/pk/en/pkbsd1/sln155709/memory-modes-in-dualprocessor-11th-generation-powerededge-servers?lang=en#Sparing>

QUESTION 2

A technician is creating a virtual disk in the DRAC (2x 4 TB NL-SAS in RAID 1) to install Windows 2016. They manually boot to the OS installation media without using the Lifecycle Controller OS Deployment wizard. Only the first 2048 GB on the virtual disk can be partitioned.

How should the technician obtain access to the remaining 2 TB (approximately) of storage?

- A. Delete the 4 TB virtual disk and create a virtual (boot) disk no longer than 2048 GB.
- B. Upgrade to a newer version of the operating system.
- C. Use the lifecycle Controller's OS Deployment Wizard to deploy the OS on this server.
- D. Use F2 to go into the BIOS, change the BIOS boot mode to UEFI, and try again.

Correct Answer: C

QUESTION 3

A technician is sent on-site to troubleshoot a server that produced an error message during the most recent POST but then completed the POST and booted to the operating system. The user cannot remember the specific error and no entry was made in the error log relating to this error.

How can the technician find out what the error message was?

- A. Access the Lifecycle Controller and view the last boot cycle video capture entry.
- B. Export the Server profile and analyze for any POST errors.
- C. Reload the BIOS firmware.
- D. Access the iDRAC and view the last boot cycle video capture entry



Correct Answer: D

QUESTION 4

A server has the following configuration: 5x 1 TB drives configured in a RAID 5 array 1x 1 TB as a global hot spare Persistent Hot Spare Slot enabled

A user adds one additional 2 TB drive to the existing array using RAID migration.


How much disk space is available to the operating system?

- A. 5 TB
- B. 6 TB
- C. 7 TB
- D. 8 TB

Correct Answer: B

QUESTION 5

Refer to the exhibit.



A technician tries to apply a BIOS update on a server through the iDRAC web interface using the Linux Dell Update Package file BIOS_2H4CC_LN_2.0.2.BIN. This results in the error shown in the exhibit.

What should the technician do to address this issue?

- A. Reset the iDRAC and reapply the update
- B. Extract the Linux Dell Update Package and apply payload file
- C. Re-download the file to replace the corrupted version and reinstall
- D. Download and apply the Windows Dell Update Package file

Correct Answer: A