



# DES-4421<sup>Q&As</sup>

Specialist - Implementation Engineer, PowerEdge MX Modular Exam

**Pass EMC DES-4421 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/des-4421.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which I/O module is supported for Fabric B?

- A. MX5016s
- B. MSG610s
- C. MX5000s
- D. MX5108n

Correct Answer: D

Reference: <https://hasanmansur.com/2019/01/08/mx7000-networking-part-1-introduction-components/>

---

### QUESTION 2

What is a benefit of using scalable fabric architecture in the MX7000?

- A. Management of all servers and fabrics is done from the last chassis in the fabric
- B. Management of all fabrics is done from the third fabric in the chassis
- C. Management of all servers and fabrics is done from the lead chassis
- D. Management of all fabrics is done from the last chassis in the fabric

Correct Answer: C

Reference:  
<https://infohub.delltechnologies.com/static/media/client/7phukh/d3df87a5-ddb7-4917-969d-24e249b52824.pdf>

---

### QUESTION 3

After installing a supported OS from a bootable ISO on an MX740c sled, an administrator discovers that not all the hardware is properly detected by the OS. They plan to reinstall the OS. What should the administrator do to resolve this issue through OS installation?

- A. Update the Dell OS Driver Pack and use the OS Deployment feature
- B. Modify the bootable ISO to remove faulty drivers and boot directly from the bootable ISO
- C. Modify the bootable ISO to remove faulty drivers and use the OS deployment feature
- D. Update the Dell OS Driver Pack and boot directly from the bootable ISO

Correct Answer: D



#### QUESTION 4

DRAG DROP

Match each feature with its associated PowerEdge server management tool.

Select and Place:

<u>Feature:</u>	<u>Management Tool:</u>
Remote GUI management interface	Lifecycle Controller
Identity Pool	iDRAC
Server firmware inventory	ISM
QuickSync2	OME-M
Replication of Lifecycle Controller logs to OS system logs	Control Panel

Correct Answer:

<u>Feature:</u>	<u>Management Tool:</u>
	Replication of Lifecycle Controller logs to OS system logs
	QuickSync2
	Identity Pool
	Server firmware inventory
	Remote GUI management interface

#### QUESTION 5

An administrator has been tasked with specifying hardware for a deployment having the following requirements:

4 node cluster within a single MX7000 chassis Each node needs a minimum of 6x 2.5" drives 3 TB of memory and 64 physical CPU cores per node



What is the maximum hardware configuration that meets the requirements?

- A. MX740c with no storage sleds
- B. MX740c with MX5016s storage sleds
- C. MX840c with no storage sleds
- D. MX 840c with MX5016s storage sleds

Correct Answer: D

[Latest DES-4421 Dumps](#)

[DES-4421 Study Guide](#)

[DES-4421 Exam Questions](#)