



DES-5121^{Q&As}

Specialist - Implementation Engineer - Campus Networking Exam

Pass EMC DES-5121 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/des-5121.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A switch interface has been properly configured for static port security with one defined allowable MAC address. However, when the network administrator plugs a switch into that port, multiple devices are still allowed access to the network. Where must port security also be enabled to have an effect?

- A. Enabled globally on the switch
- B. Enabled on all attached devices
- C. Enabled on all switches in the network
- D. Enabled on all interfaces of the switch

Correct Answer: A

Reference: <https://www.dell.com/support/article/en-us/how10392/how-to-configure-mac-based-port-security-on-dell-n2000-n3000-and-n4000-series-switches?lang=en>

QUESTION 2

How does the weighted Queue Scheduler prioritize packets?

- A. Scheduler prioritizes weighted queues over any strict queues
- B. Weights are calculated based on the number of packets
- C. Weights are used to calculate the number of bytes
- D. Weight is assigned to each port

Correct Answer: C

Reference: <https://infohub.delltechnologies.com/static/media/6582046d-70f0-4ab6-ba72-2c0b9cf26649.pdf> page 6

QUESTION 3

If VoIP traffic uses multiple QoS prioritization schemes, what refers to VoIP traffic?


- A. COS 2, DSCP 22, AF
- B. COS 2, DSCP 46, EF
- C. COS 5, DSCP 42, AF D. COS 5, DSCP 46, EF

Correct Answer: D

QUESTION 4



Refer to the Exhibit.



If Client B sends a packet to Client A, what is the highest level of the network hierarchy that the packet will transverse?

- A. Distribution
- B. Network
- C. Access
- D. Core

Correct Answer: D

QUESTION 5

Which RSTP-PV features are embedded and cannot be disabled?

- A. DirectLink Rapid Convergence and DirectLink Fast Rapid Convergence
- B. IndirectLink Rapid Convergence and IndirectLink Fast Rapid Convergence



C. DirectLink Rapid Convergence and IndirectLink Fast Rapid Convergence

D. DirectLink Fast Rapid Convergence and IndirectLink Rapid Convergence

Correct Answer: C

Reference: <https://www.manualslib.com/manual/858353/Dell-Networking-N4000-Series.html?page=724>

[DES-5121 PDF Dumps](#)

[DES-5121 Study Guide](#)

[DES-5121 Braindumps](#)