



# DES-5221<sup>Q&As</sup>

Specialist Implementation Engineer Data Center Networking Exam

**Pass EMC DES-5221 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/des-5221.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

A network administrator wants servers to avoid spanning-tree convergence immediately after connecting to a leaf switch. Which spanning-tree feature would allow this?

- A. spanning-tree vlan priority 0
- B. spanning-tree port-type disabled
- C. spanning-tree port-priority 0
- D. spanning-tree port-type edge

Correct Answer: D

---

### QUESTION 2

You have been asked to examine a BGP configuration for a co-worker who is having difficulty establishing BGP peering. The address shown is that of the neighbor's Lo0 interface. Given the configuration shown, what would be your recommendation?

```
S3(config-router-bgp-65042)# neighbor 192.168.32.1 S3(config-router-neighbor)# remote-as 65042
```

- A. Modify the existing configuration to be: S3(config-router-bgp-65042)# neighbor 192.168.32.1/24 S3(config-router-neighbor)# peer-as 65042
- B. Add the following to the existing configuration: S3(config-router-neighbor)# update-source loopback 0 S3(config-router-neighbor)# no shutdown
- C. Issue the no shutdown command and verify that the BGP state is ESTABLISHED
- D. Issue the no shutdown command and verify that the BGP state is ACTIVE

Correct Answer: C

Reference: <https://www.dell.com/support/manuals/us/en/04/networking-z9100/os10-enterprise-user-guide-10.4.0e-r3-pub/enable-bgp?guid=guid-5c64be15-4ebd-4372-a442-67f47b0f14e5&lang=en-us>

---

### QUESTION 3

What is a feature of virtual routing and forwarding (VRF)?

- A. Provides trunks that can be grouped to provide optimum speed.
- B. Allows multiple user groups to co-exist within the same router at the same time.
- C. Allows different physical switches to operate as one.
- D. Allows multiple instances of routing tables to co-exist within the same router at the same time.

Correct Answer: D

---

**QUESTION 4**

Router (Area 0.0.0.0)			
Link ID	ADV Router	Age	Seq#
10.0.1.1	10.0.1.1	1411	0x800000D5
10.0.1.2	10.0.1.2	320	0x800000D2
10.0.2.2	10.0.2.2	1130	0x800000CF
Network (Area 0.0.0.0)			
Link ID	ADV Router	Age	Seq#
192.168.100.3	10.0.2.2	1269	0x800000CD
192.168.200.3	10.0.2.2	1130	0x800000CD
Type-5 AS External			
Link ID	ADV Router	Age	Seq#
10.0.1.1	10.0.1.1	1175	0x80000001
144.254.32.0	10.0.1.1	1175	0x80000001
144.254.33.0	10.0.1.1	1175	0x80000001
192.168.37.0	10.0.1.1	1050	0x80000001
192.168.100.2	10.0.1.1	1175	0x80000001
S3(config-router-ospf-1)#			

Refer to the exhibit.

The output shown is from which command?

- A. S3(config-router-ospf-1)# show ip ospf database
- B. S3(config-router-ospf-1)# show ip ospf topology
- C. S3(config-router-ospf-1)# show ip ospf lsa
- D. S3(config-router-ospf-1)# show ip ospf statistics

Correct Answer: A

**QUESTION 5**

From which range can a network administrator choose when setting the RSTP priority value?

- A. 1-6400
- B. 0-61440
- C. 0-614400
- D. 1-64

Correct Answer: B



VCE & PDF

GeekCert.com

<https://www.geekcert.com/des-5221.html>

2024 Latest geekcert DES-5221 PDF and VCE dumps Download

Reference: <https://www.dell.com/support/article/en-my/how10394/how-to-manage-rapid-spanning-tree-rstp-thru-command-line-on-dell-networking-powerconnect-switches?lang=en>

[Latest DES-5221 Dumps](#)

[DES-5221 PDF Dumps](#)

[DES-5221 Exam Questions](#)