

# **DES-6321** Q&As

Specialist - Implementation Engineer - VxRail Appliance Exam

# Pass EMC DES-6321 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/des-6321.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



# https://www.geekcert.com/des-6321.html

### 2024 Latest geekcert DES-6321 PDF and VCE dumps Download

#### **QUESTION 1**

When populating the VxRail Installation wizard for an external vCenter solution, what is the correct format for hostnames?

- A. vCenter and PSC should use FQDN, VxRail Manager should use host name only
- B. VxRail Manager and vCenter should use FQDN; PSC should you host name only
- C. vCenter, PSC, and VxRail Manager should use FQDN
- D. vCenter, PSC, and VxRail Manager should use host name only

Correct Answer: D

#### **QUESTION 2**

In what range does the VxRail Manager Health indicator show "yellow" for IOPS, CPU, and memory usage?

A. 60% - 80%

B. 70% - 80%

C. 75% - 85%

D. 75% - 95%

Correct Answer: C

Reference: http://docs.hol.vmware.com/HOL-2019/hol-1928-01-hci\_html\_en/

#### **QUESTION 3**

What command is used to restart the Loudmouth process on a VxRail node?

- A. /etc/init d/loudmouth restart
- B. /usr/lib/vmware/loudmouth/bin/loudmouthd restart
- C. systemctl restart loudmouth
- D. systemctl restart vmware-loudmouth

Correct Answer: A

#### **QUESTION 4**



## https://www.geekcert.com/des-6321.html

2024 Latest geekcert DES-6321 PDF and VCE dumps Download

A Dell EMC solutions architect has converted the VxRail PEQ to Customer Mode They have engaged with the customer to input information about the VxRail networks, IP address, subnet mask, gateway, and VLAN ID details.

In which section would the customer input this information?

- A. System Information
- B. Virtual Machines
- C. Physical Network
- D. ESXi Host Details

Correct Answer: D

#### **QUESTION 5**

When adding an S Series node to a Gen 2 VxRail 240F cluster the build fails.

What could be a possible cause of this situation?

- A. IP Pool has no more free addresses
- B. Hybrid and Flash nodes cannot be mixed in the same cluster
- C. Quanta and Dell hardware cannot be mixed in the same cluster
- D. Loudmouth process needs to be restarted

Correct Answer: B

DES-6321 VCE Dumps

**DES-6321 Practice Test** 

**DES-6321 Exam Questions**