



# DES-6332<sup>Q&As</sup>

Specialist - Systems Administrator - VxRail Appliance Exam

**Pass EMC DES-6332 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/des-6332.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

DRAG DROP

What is the correct sequence of steps to deploy a second VDS for VxRail network traffic?

Select and Place:

Cable VxRail NIC ports to ToR switches	Step 1
Configure the new VDS	Step 2
Create a VDS with the required number of uplinks	Step 3
Configure ToR switches to support VxRail network traffic on switch ports that are connected to the VxRail NIC ports	Step 4
Create port groups for the VxRail networks that must be migrated to the new VDS	Step 5

Correct Answer:



	Create a VDS with the required number of uplinks
	Configure the new VDS
	Cable VxRail NIC ports to ToR switches
	Create port groups for the VxRail networks that must be migrated to the new VDS
	Configure ToR switches to support VxRail network traffic on switch ports that are connected to the VxRail NIC ports

**QUESTION 2**

What is the component state when vSAN detects a temporary failure and the component might recover?

- A. Absent
- B. Active-Stale
- C. Degraded
- D. Error

Correct Answer: A

**QUESTION 3**

What is a requirement for enabling vSAN Data at Rest Encryption (DARE) on a VxRail cluster?

- A. Internal Key Management System
- B. External Key Management System
- C. External vCenter Server
- D. All-flash configuration

Correct Answer: B



#### QUESTION 4

A VxRail system administrator has been tasked to add the support account to all of the 50 VxRail clusters. The administrator is using API calls but is receiving 403 error codes.

What is the likely issue?

- A. Username/password is not recognized
- B. User account does not have sufficient privileges
- C. Support account credentials provided are not valid
- D. Call has failed with internal errors

Correct Answer: B

---

#### QUESTION 5

What is a consideration when scaling a VxRail cluster?

- A. A maximum of 10 nodes is supported if 1 GbE networking is used
- B. The first two nodes in a standard cluster must be identical
- C. Mixing of all-flash and NVMe nodes is not allowed
- D. Mixing VxRail nodes with different base network speeds is not permitted

Correct Answer: C

[DES-6332 PDF Dumps](#)

[DES-6332 Study Guide](#)

[DES-6332 Exam Questions](#)