



DES-DD23^{Q&As}

Implementation Engineer - PowerProtect DD

Pass EMC DES-DD23 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/des-dd23.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which PowerProtect DD procedure uses the DoD/NIST standards to provide data security?

- A. Data Sanitization
- B. End-to-End Verification
- C. Replication Encryption
- D. Encryption

Correct Answer: A

Reference: <https://www.delltechnologies.com/asset/en-us/products/data-protection/technical-support/docu85190.pdf> (193)

QUESTION 2


A backup administrator has enabled the Retention Lock feature on their PowerProtect DD appliance. Over time, the administrator noticed an increase in file system utilization. Upon further investigation, the administrator discovered expired files are still present on the appliance.

What is the most likely reason for this issue?

- A. The time of the file was set below the minimum retention period
- B. Retention Lock feature was disabled before the expiration date
- C. File system cleaning was disabled
- D. Backup application failed to delete the file after expiration

Correct Answer: D

QUESTION 3



Refer to the exhibit.

To which shelf and port should SAS HBA slot 1 port B be connected?

- A. Shelf 04 BH
- B. Shelf 01 BH
- C. Shelf 04 BE
- D. Shelf 01 BE

Correct Answer: A

QUESTION 4

An organization uses tape libraries in their current backup infrastructure. They have purchased a PowerProtect DD system and plan to use VTL to move from physical tape. What is a consideration when configuring the tape size?

- A. Use multiple drives to write multiple streams
- B. Set retention periods for as long as possible
- C. Target multiple drives to write single stream
- D. Use larger tapes for multiple smaller datasets

Correct Answer: A

QUESTION 5

A PowerProtect DD appliance with two expansion shelves is being installed in a customer-provided rack.

When cabling the controller to the shelves, what is connected to the host port on the last shelf in the chain?

- A. Expansion port of the upstream shelf



- B. Host port of the controller
- C. Expansion port of the controller
- D. Host port of the downstream shelf

Correct Answer: A

[Latest DES-DD23 Dumps](#)

[DES-DD23 PDF Dumps](#)

[DES-DD23 VCE Dumps](#)