



# DES-DD33<sup>Q&As</sup>

Specialist - Systems Administrator, PowerProtect DD

**Pass EMC DES-DD33 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/des-dd33.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Where is the DD System Manager can the status of chassis components be found?

- A. Maintenance > Chassis
- B. Hardware > Chassis
- C. Health > Chassis
- D. Home > Chassis

Correct Answer: B

Reference: [https://www.juniper.net/documentation/en\\_US/release-independent/junos/topics/task/verification/router-chassis-status-nog.html](https://www.juniper.net/documentation/en_US/release-independent/junos/topics/task/verification/router-chassis-status-nog.html)

---

### QUESTION 2

An administrator wants to integrate a PowerProtect DD appliance into their current backup environment using CIFS, NFS, DD Boost, and VTL. Which backup applications support these protocols?

- A. Commvault Simpana and Veritas Backup Exec
- B. Veritas NetBackup and Dell EMC NetWorker
- C. Dell EMC Avamar and Dell EMC NetWorker
- D. IBM Spectrum Protect and Veritas NetBackup

Correct Answer: B

### QUESTION 3

A PowerProtect DD system is configured for VTL. The backup application requires a minimum tape capacity of 800 GiB. What is the minimum tape type to support this requirement?

- A. LTO-3
- B. LTO-2
- C. LTO-5
- D. LTO-4

Correct Answer: D

Reference: <https://www.ibm.com/docs/en/ts4500-tape-library?topic=cartridges-capacity-supported-lto-tape>

---



#### QUESTION 4

An organization uses tape libraries in their current backup infrastructure. They have purchased a PowerProtect DD system and plan to use VTL to move from physical tape.

What is a consideration when configuring the tape size?

- A. Target multiple drives to write single stream
- B. Use multiple drives to write multiple streams
- C. Set retention periods for as long as possible
- D. Use larger tapes for multiple smaller datasets

Correct Answer: B

---

#### QUESTION 5

What is a requirement to use the PowerProtect DD HA feature?

- A. A single set of shared storage
- B. Dual set of shared storage configuration
- C. Head units and nodes require an active/active configuration
- D. Each head unit requires its own FS25 shelf

Correct Answer: B

[Latest DES-DD33 Dumps](#)

[DES-DD33 VCE Dumps](#)

[DES-DD33 Braindumps](#)