



DES-DD33^{Q&As}

Specialist - Systems Administrator, PowerProtect DD

Pass EMC DES-DD33 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/des-dd33.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which command is used to check if NFS is enabled?

- A. nfs show clients
- B. nfs enable
- C. system show
- D. nfs status

Correct Answer: D

Reference: <https://www.cyberciti.biz/faq/find-out-if-nfs-service-running-on-linux-unix-server/>

QUESTION 2

What is the preferred method to ensure backups are protected against deletion or corruption?

- A. Dell EMC Cloud Tier
- B. Encryption
- C. Retention Lock
- D. Data Invulnerability Architecture

Correct Answer: A

Explanation:

In order to keep data protection tools from getting overwhelmed by the enormous capacity requirements generated in today's data centers, technologies which enable data to be tiered from primary backup to secondary long term retention/

archive are becoming more attractive. Dell EMC Cloud Tier technology integrates with an Dell EMC ECS Object Storage system (on premises or hosted private cloud) to provide a massively scalable architecture. By leveraging the capabilities

of both of these platforms, IT administrators and architects can continue the path of consolidating critical backup processes, protecting complex environments mixed with unstructured data, database engines, virtual environments, while at the

same time providing the ability to meet long term.

Reference: https://www.delltechnologies.com/content/dam/uwaem/production-design-assets/en-apj/dell_emc_periodic_table_data_protection_eBook.pdf

QUESTION 3



Which statement is correct regarding backup flow without PowerProtect DD?

- A. Data is replicated between primary storage and tape storage
- B. Both the backup server and backup clients connect directly to tapes and save the backup
- C. Only the backup server connects directly to tapes and saves the backup
- D. Only backup clients connect directly to tapes and save the backup

Correct Answer: C

Reference: <https://www.ibm.com/cloud/learn/backup-and-restore>

QUESTION 4

A Spectrum Protect administrator is configuring VTL on PowerProtect DD. Which tape driver type should they select?

- A. L180
- B. L2000
- C. TS3500
- D. L6000

Correct Answer: C

Reference: <https://www.ibm.com/support/pages/emc-data-domain-deduplication-storage-systems-dd-series-vtl-information-ibm-spectrum-protect-server-formerly-tsm>

QUESTION 5

What is a requirement to use the PowerProtect DD HA feature?

- A. A single set of shared storage
- B. Dual set of shared storage configuration
- C. Head units and nodes require an active/active configuration
- D. Each head unit requires its own FS25 shelf

Correct Answer: B