



DES-DD33^{Q&As}

Specialist - Systems Administrator, PowerProtect DD

Pass EMC DES-DD33 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/des-dd33.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

How can remote logging with a syslog server be configured on a PowerProtect DD system?

- A. Use the CLI command log host enable
- B. Use the DDSM to enable the remote logging
- C. Remote logging is enabled by default
- D. Use the DDMC to enable the remote logging

Correct Answer: A

Reference: <https://support.rocketcyber.com/hc/en-us/articles/360017916917-How-do-I-configure-syslog-remote-logging-for-a-Untangle-Firewall>

QUESTION 2

Which component of PowerProtect DD is Data Invulnerability Architecture a feature of?

- A. DDOS
- B. CIFS
- C. VTL
- D. DD Boost

Correct Answer: A

Explanation:

The Data Invulnerability Architecture is built into DDOS and DD series to provide the industry's best defense against data loss.

Reference: <https://www.delltechnologies.com/asset/en-in/products/data-protection/technical-support/h17926-dellemc-powerprotect-dd-ds.pdf>

QUESTION 3

A PowerProtect DD backup administrator wants to delegate some Operations to their Monitoring and Control team. The administrator wants to add a user to the Monitoring and Control team with limited access to only check the health of the PowerProtect DD appliance.

Which role must be applied to the new user?

- A. Backup Operator
- B. Limited Admin



C. User

D. Tenant Admin

Correct Answer: C

Explanation:

The User role provides read-only access to monitor activities and operations.

Reference: <https://www.delltechnologies.com/asset/en-us/products/data-protection/technical-support/docu95705.pdf>

QUESTION 4

Following best practices for a PowerProtect DD CIFS environment, what is the recommended SESSTIMEOUT value in seconds?

A. 2600

B. 3000

C. 3600

D. 4600

Correct Answer: C

Explanation:

SESSTIMEOUT value from the default 45 seconds to 3600 seconds.

Reference: <https://pdfcoffee.com/emc-data-domain-networker-implementation-student-guide-pdf-free.html>

QUESTION 5

What is the maximum capacity for a DDVE?

A. 64 TB

B. 96 TB

C. 128 TB

D. 256 TB

Correct Answer: D

Explanation:

DDVE supports 5TB - 256TB per instance

Reference: <https://aws.amazon.com/marketplace/pp/prodview-2x2p43yvgswtm#:~:text=Achieve%20increased%20trans,actional%20and%20operational,expand%20capacity%20in%201TB%20increments.>



VCE & PDF

GeekCert.com

<https://www.geekcert.com/des-dd33.html>

2024 Latest geekcert DES-DD33 PDF and VCE dumps Download

[DES-DD33 VCE Dumps](#)

[DES-DD33 Practice Test](#)

[DES-DD33 Braindumps](#)