



# DES-DD33<sup>Q&As</sup>

Specialist - Systems Administrator, PowerProtect DD

## Pass EMC DES-DD33 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/des-dd33.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





## QUESTION 1

DRAG DROP

What are the steps to configure the Retention Lock Compliance?

Select and Place:

Create iDRAC users	STEP 1
Add one or more security officer users	STEP 2
Configure the system to use DD Retention Lock Compliance	STEP 3
Enable DD Retention Lock Compliance on the system	STEP 4
Enable the security officer authorization	STEP 5

Correct Answer:

	Configure the system to use DD Retention Lock Compliance
	Add one or more security officer users
	Create iDRAC users
	Enable the security officer authorization
	Enable DD Retention Lock Compliance on the system

## QUESTION 2

Which NDMP device is supported on a PowerProtect DD appliance?



- A. NFS
- B. DD Boost
- C. CIFS
- D. VTL

Correct Answer: D

Explanation:

A system can present itself as a file server, offering NFS, CIFS access over Ethernet; as a virtual tape library (VTL) over Fibre Channel; as an NDMP tape server over Ethernet; or as a disk target using application specific interfaces like DD

Boost. DD VTL is qualified with leading open systems and IBMi enterprise backup applications.

Reference: <https://www.delltechnologies.com/asset/en-in/products/data-protection/technical-support/h17926-dellemc-powerprotect-dd-ds.pdf>

### QUESTION 3

How many hops should the fabric configuration be limited to when implementing the DD VTL?

- A. 1 hop
- B. 2 hops
- C. 3 hops
- D. 4 hops

Correct Answer: B

Explanation:

Maximum number of hops is two, that is, three DD systems. Directory-to-MTree migration supports backward compatibility up to two previous releases.

Reference: <https://www.delltechnologies.com/asset/en-us/products/data-protection/technical-support/docu97051.pdf>

### QUESTION 4

An administrator wants to integrate a PowerProtect DD appliance into their current backup environment using CIFS, NFS, DD Boost, and VTL. Which backup applications support these protocols?

- A. Commvault Simpana and Veritas Backup Exec
- B. Veritas NetBackup and Dell EMC NetWorker
- C. Dell EMC Avamar and Dell EMC NetWorker
- D. IBM Spectrum Protect and Veritas NetBackup



Correct Answer: B

---

#### QUESTION 5

Which command is used to check if NFS is enabled?

- A. nfs show clients
- B. nfs enable
- C. system show
- D. nfs status

Correct Answer: D

Reference: <https://www.cyberciti.biz/faq/find-out-if-nfs-service-running-on-linux-unix-server/>

[DES-DD33 Practice Test](#)

[DES-DD33 Exam Questions](#)

[DES-DD33 Braindumps](#)