



# DP-500<sup>Q&As</sup>

Designing and Implementing Enterprise-Scale Analytics Solutions Using  
Microsoft Azure and Microsoft Power BI

## Pass Microsoft DP-500 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/dp-500.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





## QUESTION 1

### HOTSPOT

You have the Power BI workspaces shown in the following exhibit.

Workspaces

View personal and group workspaces that exist in your organization. To change users' ability to create workspaces, see [tenant settings](#).

Refresh Export

Name	Description	Type	State	Capacity name	Capacity SKU Tier	Workspace upg...
Web Analytics		Workspace	Active			
Infrastructure Svcs		Workspace	Active	Premium Per User - Re...	PP3	
Sales Orders		Workspace	Active	pbie01	A1	
PBI Capacity Metrics		Workspace	Orphaned			
PersonalWorkspace		Personal Group	Active			

Items per page: 10 1 - 7 of 7

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

Hot Area:

The **[answer choice]** workspace will allow users outside the organization to view private reports from a custom application without a Power BI license.

A user must be assigned the **[answer choice]** role to change the state of the PBI Capacity Metrics workspace to **Active**.

Infrastructure Svcs  
PBI Capacity Metrics  
Sales Orders  
Web Analytics

Admin  
Contributor  
Member  
Viewer

Correct Answer:



The [answer choice] workspace will allow users outside the organization to view private reports from a custom application without a Power BI license.

A user must be assigned the [answer choice] role to change the state of the PBI Capacity Metrics workspace to **Active**.

Infrastructure Svcs

PBI Capacity Metrics

Sales Orders

Web Analytics

Admin

Contributor

Member

Viewer

## QUESTION 2

### DRAG DROP

You have a shared dataset in Power BI named Dataset1.

You have an on-premises Microsoft SQL Server database named DB1.

You need to ensure that Dataset1 refreshes data from DB1.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

From powerbi.com, configure Dataset1 to use a data gateway.

From powerbi.com, add a data source to the gateway clusters.

Create a virtual network data gateway.

Install the on-premises data gateway (standard mode).

Configure a private endpoint.

Install the on-premises data gateway (personal mode).

Answer Area

Correct Answer:

Actions

From powerbi.com, add a data source to the gateway clusters.

Install the on-premises data gateway (standard mode).

Configure a private endpoint.

Answer Area

Create a virtual network data gateway.


From powerbi.com, configure Dataset1 to use a data gateway.

Install the on-premises data gateway (personal mode).



### QUESTION 3

You have the Power BI data model shown in the exhibit (Click the Exhibit tab.) Users indicate that when they build reports from the data model, the reports take a long time to load.



You need to recommend a solution to reduce the load times of the reports.



---

Solution: You recommend denormalizing the data model. Does this meet the goal?

A. Yes

B. No

Correct Answer: A

---

#### QUESTION 4

You have a PostgreSQL database named db1.

You have a group of data analysts that will create Power BI datasets. Each analyst will use data from a different schema in db1.

You need to simplify the process for the analysts to initially connect to db1 when using Power BI Desktop.

Which type of file should you use?

A. PBIT

B. PBIX

C. PBIDS

Correct Answer: C

To simplify the process for the data analysts to initially connect to the PostgreSQL database (db1) when using Power BI Desktop, you should use a PBIDS (Power BI Data Source) file.

---

#### QUESTION 5

You need to use Power BI to ingest data from an API. The API requires that an API key be passed in the headers of the request. Which type of authentication should you use?

A. organizational account

B. Basic

C. Web API

D. Anonymous

Correct Answer: C

<https://learn.microsoft.com/en-us/power-query/connector-authentication#select-an-authentication-method>

[Latest DP-500 Dumps](#)

[DP-500 Practice Test](#)

[DP-500 Braindumps](#)