

# E20-065<sup>Q&As</sup>

Advanced Analytics Specialist Exam for Data Scientists

## Pass EMC E20-065 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/e20-065.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



### https://www.geekcert.com/e20-065.html

2024 Latest geekcert E20-065 PDF and VCE dumps Download

#### **QUESTION 1**

In which step in the visualization lifecycle would you determine how the raw data is stored?

- A. Visualization Planning
- B. Data Preparation
- C. Visualization Building
- D. Discovery

Correct Answer: B

#### **QUESTION 2**

Which scenario would be ideal for processing Hadoop data with Hive?

- A. Structured data, real-time processing
- B. Unstructured data; batch processing
- C. Unstructured data; real-time processing
- D. Structured data; batch processing

Correct Answer: B

#### **QUESTION 3**

What is a characteristic of stop words?

- A. Used in term frequency analysis
- B. Include words such as "a", "an", and "the"
- C. Meaningful words requiring a parser to stop and examine them
- D. Don\\'t occur often in text

Correct Answer: B

#### **QUESTION 4**

A hotel chain runs a simul-ation on room pricing. They want to estimate revenue, per hotel, within  $\pm$ - \$10 with 95% confidence (Za/2=1.96). The estimated revenue standard deviation is \$5000 based on previous booking data.

What is the optimal number of simulation trials to run?



## https://www.geekcert.com/e20-065.html

2024 Latest geekcert E20-065 PDF and VCE dumps Download

- A. A 32-bit operating system was used
- B. The same number of trials was used
- C. A linear congruential generator (LCG) was used (or pseudo-random number generation
- D. Different seeds tor the random number generator were used.

Correct Answer: C

#### **QUESTION 5**

What elements are needed to determine the time complexity of finding all the cliques of size k in social network analysis?

- A. Eigenvector centrality and betwenness
- B. Clique size and total number of nodes in the network
- C. Number of edges in the network and centrality measure of the cliques
- D. Clique size and betweenness centrality

Correct Answer: B

E20-065 VCE Dumps

E20-065 Practice Test

E20-065 Study Guide