



E20-507^{Q&As}

VMAX3 Solutions Specialist Exam for Storage Administrators

Pass EMC E20-507 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/e20-507.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

In VMAX3 and VMAX All Flash arrays, what is the maximum number of LUN addresses supported per director port?

- A. 2 K
- B. 4 K
- C. 8 K
- D. 16 K

Correct Answer: B

Reference: <https://community.emc.com/thread/189386?tstart=0>

QUESTION 2

A storage administrator needs to provision new storage to a production SRDF/A group. Before moving new SRDF pairs to an active SRDF/A session, what should the SRDF pair state be for the new devices?

- A. Suspended
- B. Consistent
- C. SyncInProg
- D. Synchronized

Correct Answer: A

Reference: http://richgoldstein.net/content/emc/srdf_intro

QUESTION 3

Which type of emulation is used for thin devices provisioned to an eNAS Storage Group in VMAX3?

- A. FBA
- B. CELERRA_FBA
- C. EMBEDDED_NAS_FBA
- D. eNAS_FBA

Correct Answer: B

QUESTION 4



Which I/O module is used by VMAX3 eNAS systems to facilitate backup to tape?

- A. 2-port 10GbE BaseT
- B. 2-port 10GbE Optical
- C. 4-port 8 Gb FC
- D. 4-port 16 Gb FC

Correct Answer: C

QUESTION 5

What is a benefit of Multi-Cycle Mode of operation for SRDF/A?

- A. SRDF link will experience longer periods of inactivity allowing for shared use of the link
- B. Data that is sent across the link to the R2 side will be smaller in size and not overwhelm the link
- C. Enhanced parallel processing will result in more efficient core utilization
- D. Delta Set Extension is disabled for this mode of operation

Correct Answer: B

[E20-507 VCE Dumps](#)

[E20-507 Study Guide](#)

[E20-507 Exam Questions](#)