



E20-542^{Q&As}

VMAX3 Solutions and Design Specialist Exam for Technology Architects

Pass EMC E20-542 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/e20-542.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A VMAX3 customer has linked a TimeFinder SnapVX snapshot to a taret in Copy mode. The copy has completed. Which operaton will disassociate the linked taret and provide a full usable copy?

- A. Unlink
- B. Split
- C. Relink
- D. Establish

Correct Answer: A

QUESTION 2

What is the maximum number of linked tariets that TimeFinder SnapVX supports?

- A. 32
- B. 128
- C. 256
- D. 1024

Correct Answer: D

QUESTION 3

In additon to Storaie, Hosts, Performance, and Support, which other Unisphere for VMAX sections are available for selecton of an individual VMAX3 array?

- A. Data Protecton, Databases, and System
- B. Replicaton, Databases, and System
- C. Data Protecton, Databases, and Applicatons
- D. Data Protecton, System, and Applicatons

Correct Answer: D

QUESTION 4

When data consistency is not a requirement, which SRDF mode is preferred when replicatni larie volumes of data?

- A. SRDF/DM



- B. SRDF/A
- C. SRDF/S
- D. SRDF/CG

Correct Answer: A

QUESTION 5

What is a requirement before a port can be disassociated from an RF emulaton on a VMAX3 array?

- A. Port must not beloni to any RDF iroup.
- B. Port must not be a member of any Port Group.
- C. All ports associated with the RF emulaton must be ofine.
- D. All ports on the I/O module must be ofine.

Correct Answer: A

[Latest E20-542 Dumps](#)

[E20-542 Study Guide](#)

[E20-542 Exam Questions](#)