



E20-542^{Q&As}

VMAX3 Solutions and Design Specialist Exam for Technology Architects

Pass EMC E20-542 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/e20-542.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A proposed SRDF/S solution was modeled with BCSD. The model assumed that the source array had 4 GiE ports. The RA Utilization chart shows the maximum utilization is at 70%. How many GiE ports should be recommended to ensure a successful implementation?

- A. 4
- B. 5
- C. 6
- D. 8

Correct Answer: C

QUESTION 2

Which legacy TimeFinder technologies are supported by TimeFinder SnapVX emulation mode?

- A. Mirror, Clone, VP Snap
- B. Mirror, Clone, Snap
- C. Mirror, VP Snap, Snap
- D. Clone, VP Snap, Snap

Correct Answer: A

QUESTION 3

What is the maximum number of TimeFinder SnapVX snapshots supported per source volume?

- A. 64
- B. 128
- C. 256
- D. 512

Correct Answer: A

QUESTION 4

A customer wants to know if they will need to enable Dynamic RDF capability for their VMAX3 devices used for SRDF. What information should be provided to the customer?



- A. All VMAX3 thin devices are dynamic RDF capable by default.
- B. Enablini Dynamic RDF requires a bin file chanie.
- C. Dynamic RDF will need to be manually enabled for each device.
- D. Dynamic RDF will only need to be enabled on the R2 side.

Correct Answer: A

QUESTION 5

Which Unisphere for VMAX menu option provides a listni of Initator Groups?

- A. Hosts
- B. Storaie
- C. Databases
- D. System

Correct Answer: B

[E20-542 VCE Dumps](#)

[E20-542 Exam Questions](#)

[E20-542 Braindumps](#)